

Product datasheet for AP31483FC-N

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Mouse Serum Proteins Goat Polyclonal Antibody

Product data:

Product Type: Primary Antibodies

Applications: ELISA, ID, IF, IHC, IP

Recommended Dilution: Direct fluorescent staining of mouse serum proteins at the cellular and subcellular level of

appropriately treated cell and tissue substrates. This immunoconjugate is not pre-diluted. The optimum working dilution of each conjugate should be established by titration before being used. Excess labelled antibody must be avoided because it may cause high unspecific

background staining and interfere with the specific signal. Working dilutions are usually between 1/20 and 1/80.

Reactivity: Mouse **Host:** Goat

Clonality: Polyclonal

Immunogen: Pooled whole serum and selected protein fractions isolated from pooled mouse serum.

Freund's complete adjuvant is used in the first step of the immunization procedure.

Specificity: Tested in immunoelectrophoresis and double radial immunodiffusion against pooled serum

precipitation of at least 15 individual proteins have been observed.

<u>Cross-reactivity:</u> Inter-species cross-reactivity is a normal feature of antibodies to serum proteins, since homologous proteins of different species frequently share antigenic determinants. Cross-reactivity of this antiserum has not been tested in detail.

Formulation: PBS, pH 7.2

No preservative added. No foreign proteins added.

Label: FITC

State: Lyophilised hyperimmune Ig fraction Label: Fluorescein isothiocyanate isomer 1 Absorption emission: 492nm / 515nm

Molar radio: 1,5

Reconstitution Method: Restore with 1 ml sterile distilled water

Concentration: lot specific

Purification: DEAE-column Chromatography

Conjugation: FITC





Mouse Serum Proteins Goat Polyclonal Antibody - AP31483FC-N

Storage: Prior to reconstitution store at 2-8°C.

Following reconstitution store undiluted at 2-8°C for one week

or (in aliquots) at -20°C for longer. Avoid repeated freezing and thawing.

Stability: Shelf life: one year from despatch.