

Product datasheet for AP31545SU-N

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

ALB Goat Polyclonal Antibody

Product data:

Product Type: Primary Antibodies

Applications: IP, R

Recommended Dilution: Can be used as precipitating antiserum to identify or measure rabbit albumin by a variety of

immunodiffusion techniques, including immunoelectrophoresis, single and double radial immunodiffusion (Mancini, Ouchterlony) and electroimmunodiffusion (Laurell). It has not been tested for use in nephelometry, ELISA or immunochemistry, but this does not exclude

such use if proper controls are included.

Directions for use:

In immunoelectrophoresis use 2 μ l serum, plasma or equivalent against 120 μ l antiserum. In double radial immunodiffusion (Ouchterlony) use a rosette arrangement with 10 μ l antiserum in a 3 mm diameter centre well and 2 μ l serum samples (neat and serially diluted)

in 2 mm diameter peripheral wells.

In single radial immunodiffusion and electroimmunodiffusion use 0.5 to 1.0 percent

antiserum in the agar gel.

Reactivity: Rabbit
Host: Goat

Clonality: Polyclonal

Immunogen: Highly purified albumin isolated from rabbit serum. Freund's complete adjuvant is used in

the first step of the immunization procedure.

Specificity: The defined antibody specificity is directed to albumin as tested against rabbit sera. In

immunoelectrophoresis and double radial immunodiffusion (Ouchterlony), using various antiserum concentrations against appropriate concentrations of the immunogen, a single characteristic precipitin line is obtained which shows a reaction of identity with the precipitin

lines obtained against rabbit serum and the purified albumin.

<u>Cross-reactivity:</u> Inter-species cross-reactivity is a normal feature of antibodies to mammalian serum proteins, since homologous proteins of different species frequently share antigenic determinants. The degree of crossreactivity is also dependent on the concentrations of the reactants and the sensitivity of the assay arrangement. This antiserum fraction has been tested for cross-reactivity by double radial immunodiffusion against several species sera with

the following results.





ALB Goat Polyclonal Antibody - AP31545SU-N

Formulation: No preservative added. No foreign proteins added.

State: Serum

State: Delipidated, heat inactivated, lyophilized, stable whole antiserum

Reconstitution Method: Restore with 1 ml sterile distilled water.

Conjugation: Unconjugated

Storage: Prior to reconstitution store at 2-8°C.

Following reconstitution store undiluted at 2-8°C for one week

or (in aliquots) at -20°C for longer. Avoid repeated freezing and thawing.

Stability: Shelf life: one year from despatch.

Database Link: Entrez Gene 100009195 Rabbit

P49065

Synonyms: ALB, BSA, HSA, Serum Albumin

Note: Adsorption: Immunoaffinity adsorbed using insolubilized antigens as required, to eliminate

antibodies reacting with other serum proteins. The use of insolubilized adsorption antigens prevents the presence of excess adsorbent protein or immune complexes in the antiserum.