

Product datasheet for AP32927PU-N

OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

PIM2 Goat Polyclonal Antibody

Product data:

Product Type: Primary Antibodies

Applications: ELISA, WB

Recommended Dilution: Peptide ELISA: 1/16000 (Detection Limit).

Western Blot: 1-3 μ g/ml. In transfected HEK293 transiently expressing Human PIM2 (myc and DYKDDDDK tagged), a band of approx. 38kDa is observed. No bands are observed in mock-

transfected HEK293 and the same band is observed using anti-myc antibody.

Reactivity: Bovine, Canine, Human, Mouse

Host: Goat

Clonality: Polyclonal

Immunogen: Peptide with sequence from the internal region of the protein sequence according to

NP_006866.2.

Specificity: This antibody recognizes PIM2 (Internal).

Formulation: Tris saline, pH~7.3

State: Aff - Purified

State: Liquid purified Ig fraction

Stabilizer: 0.5% BSA

Preservative: 0.02% Sodium Azide

Concentration: lot specific

Purification: Ammonium Slphate Precipitation followed by Antigen Affinity Chromatography using the

immunizing peptide

Conjugation: Unconjugated

Storage: Store undiluted at 2-8°C for one month or (in aliquots) at -20°C for longer.

Avoid repeated freezing and thawing.

Stability: Shelf life: one year from despatch.

Gene Name: Pim-2 proto-oncogene, serine/threonine kinase

Database Link: Entrez Gene 11040 Human


Q9P1W9

Synonyms: Pim-2, Pim-2h





Product images:



HEK293 lysate (10ug protein in RIPA buffer) overexpressing Human PIM2 with C-terminal MYC tag probed with (1 ug/ml) in Lane A and probed with anti-MYC Tag (1/1000) in lane C. Mock-transfected HEK293 probed with (1mg/ml) in Lane B. Primary incubations were for 1 hour. Detected by chemiluminescence.