

## OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

## Product datasheet for AP32951PU-N

## CDKN1A interacting zinc finger protein 1 (CIZ1) (C-term) Goat Polyclonal Antibody

## **Product data:**

Product Type:	Primary Antibodies	
Applications:	ELISA, WB	
Recommended Dilution:	<b>Peptide ELISA:</b> 1/128000 (Detection Limit). <b>Western blot:</b> 0.3-1 μg/ml. Approx 90kDa band observed in nuclear lysates of cell line HeLa (calculated MW of 91.2kDa according to NP_001124490.1).	
Reactivity:	Human	
Host:	Goat	
Clonality:	Polyclonal	
Immunogen:	Peptide with sequence from the C Terminus of the protein sequence according to NP_036259.2; NP_001124487.1; NP_001124489.1; NP_001124490.1; NP_001244904.1; NP_001244905.1.	
Specificity:	This antibody is expected to recognize all reported Isoforms (NP_036259.2; NP_001124487.1; NP_001124489.1; NP_001124490.1; NP_001244904.1; NP_001244905.1). Reported variants represent identical protein: NP_036259.2, NP_001124488.1.	
Formulation:	Tris saline, pH~7.3 State: Aff - Purified State: Liquid purified IgG fraction Stabilizer: 0.5% BSA Preservative: 0.02% Sodium Azide	
Concentration:	lot specific	
Purification:	Ammonium Sulphate precipitation followed by Antigen Affinity Chromatography using the immunizing peptide	
Conjugation:	Unconjugated	
Storage:	Store undiluted at 2-8°C for one month or (in aliquots) at -20°C for longer. Avoid repeated freezing and thawing.	
Stability:	Shelf life: one year from despatch.	
Gene Name:	CDKN1A interacting zinc finger protein 1	
Database Link:	<u>Entrez Gene 25792 Human</u> <u>Q9ULV3</u>	



This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2024 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

	CDKN1A interacting zinc finger protein 1 (ClZ1) (C-term) Goat Polyclonal Antibody – AP32951PU- N		
Synonyms:	LSFR1, NP94, ZNF356		
Product im	ages:		
	250kDa 150kDa 100kDa		
	75kDa		
	50kDa		
	37kDa	(0.3 ug/ml) staining of HeLa nuclear lysate (35ug protein in RIPA buffer). Primary incubation was 1 hour. Detected by chemiluminescence.	
	25kDa		
	20kDa		
	15kDa		

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2024 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US