

Product datasheet for AP33336PU-N

OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US

Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

TNF alpha (TNF) Goat Polyclonal Antibody

Product data:

Product Type: Primary Antibodies

Applications: ELISA, IHC, WB

Recommended Dilution: Sandwich ELISA: To detect Human TNF-alpha by Sandwich ELISA (using 100 µl/well antibody

solution) a concentration of 0.5-2.0 μ g/ml of this antibody is required. This antigen affinity purified antibody, in conjunction with Biotinylated Anti-Human TNF-alpha (Cat.-No AP33336BT) as a detection antibody, allows the detection of at least 0.2-0.4 μ g/well of

recombinant Human TNF-alpha.

Western Blot: To detect Human TNF- α by Western Blot analysis this antibody can be used at a concentration of 0.1-0.2 µg/ml. When used in conjunction with compatible secondary reagents, the detection limit for recombinant Human TNF-alpha is 1.5-3.0 ng/lane, under

either reducing or non-reducing conditions.

Neutralization: To yield one-half maximal inhibition [ND50] of the biological activity of Human TNF-α (0.25 ng/ml), a concentration of 0.012-0.014 μg/ml of this antibody is required. **Immunohistochemistry on Parrafin Sections:** This antibody stained formalin-fixed, paraffin-embedded sections of human breast invasive ductal carcinoma. The recommended concentrations are 2.5 μg/ml-5.0 μg/ml with a two-hour incubation at room temperature or an overnight incubation at 4°C. An HRP-labeled polymer detection system was used with a DAB chromogen. This antibody was also tested in an HRP-biotin labeling detection system. Heat induced antigen retrieval with a pH 6.0 Sodium Citrate buffer is recommended. Optimal

concentrations and conditions may vary.

Reactivity: Human Host: Goat

Clonality: Polyclonal

Immunogen: Highly pure (> 98%) *E.coli* derived recombinant Human TNF-alpha (*Cat.-No* PA132)

Specificity: This antibody recognizes Human TNF-alpha. Other species not tested.

Formulation: PBS, pH 7.2

State: Purified

State: Lyophilized purified Ig fraction

Reconstitution Method: Restore in sterile PBS containing 0.1% BSA to a concentration of 0.1-1.0 mg/ml.

Purification: Affinity Chromatography employing immobilized Human TNF-alpha matrix.





Conjugation: Unconjugated

Storage: Store lyophilized at 2-8°C for 6 months or at -20°C long term.

After reconstitution store the antibody undiluted at 2-8°C for one month

or (in aliquots) at -20°C long term. Avoid repeated freezing and thawing.

Stability: Shelf life: one year from despatch.

Gene Name: tumor necrosis factor


Entrez Gene 7124 Human

P01375


Synonyms: TNF, TNF-a, TNFA, TNFSF2, Cachectin

Product images:

Database Link:



Human breast invasive ductal carcinoma stained with TNF-alpha Antibody Cat.-No AP33336PU



Sandwich ELISA using TNF-alpha Antibody Cat.-No AP33336PU