

Product datasheet for **AP42060PU-N**

ZNF500 Rabbit Polyclonal Antibody


Product data:

Product Type:	Primary Antibodies
Applications:	IHC, WB
Recommended Dilution:	Western blotting (0.2 - 1 µg/ml) Immunohistochemistry on paraffin embedded sections (2 - 8 µg/ml)
Reactivity:	Human, Mouse, Rat, Zebrafish
Host:	Rabbit
Clonality:	Polyclonal
Immunogen:	The immunogen for anti-ZNF500 antibody: synthetic peptide directed towards the middle region of human ZNF500.
Formulation:	State: Aff - Purified State: Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2% sucrose. <i>Note that this product is shipped as lyophilized powder to China customers.</i>
Purification:	Purified on peptide immunoaffinity column
Conjugation:	Unconjugated
Storage:	Store undiluted at 2-8°C for one month or (in aliquots) at -20°C to -80°C for longer. Avoid repeated freezing and thawing.
Stability:	Shelf life: one year from despatch.
Gene Name:	zinc finger protein 500
Database Link:	Entrez Gene 26048 Human O60304
Background:	ZNF500 may be involved in transcriptional regulation. Belongs to the krueppel C2H2-type zinc-finger protein family, containing 5 C2H2-type zinc fingers, 1 KRAB domain, and 1 SCAN box domain.
Synonyms:	Zinc finger protein 500, KIAA0557, ZKSCAN18




[View online »](#)


Product images:



Human Jurkat; WB Suggested Anti-ZNF500 Antibody Titration: 0.2-1 ug/ml. ELISA Titer: 1:1562500. Positive Control: Jurkat cell lysate; ZNF500 antibody - middle region (AP42060PU-N) in Human Jurkat cells using Western Blot



Human Spermatophore; ZNF500 antibody - middle region (AP42060PU-N) in Human Spermatophore cells using Immunohistochemistry



Human Spleen; ZNF500 antibody - middle region (AP42060PU-N) in Human Spleen cells using Immunohistochemistry