

# Product datasheet for AP50813PU-N

### Cyclin G (CCNG1) (N-term) Rabbit Polyclonal Antibody

### **Product data:**

#### **Product Type: Primary Antibodies Applications:** WB Recommended Dilution: ELISA: 1/1000. Western blot: 1/50 - 1/100. **Reactivity:** Human Rabbit Host: Isotype: lg **Clonality:** Polyclonal KLH conjugated synthetic peptide between 27-61 amino acids from the N-terminal region of Immunogen: human CCNG1 Specificity: This antibody reacts to CCNG1. Formulation: PBS State: Purified State: Liquid purified Ig fraction Preservative: 0.09% (W/V) sodium azide **Concentration:** lot specific **Purification:** Saturated Ammonium Sulfate (SAS) precipitation **Conjugation:** Unconjugated Store undiluted at 2-8°C for one month or (in aliquots) at -20°C for longer. Storage: Avoid repeated freezing and thawing. Shelf life: one year from despatch. Stability: **Predicted Protein Size:** 34074 Da Gene Name: cyclin G1 Database Link: Entrez Gene 900 Human P51959




This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2024 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

### OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

|                   | Cyclin G (CCNG1) (N-term) Rabbit Polyclonal Antibody – AP50813PU-N                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
|-------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Background:       | The eukaryotic cell cycle is governed by cyclin-dependent protein kinases (CDKs) whose<br>activities are regulated by cyclins and CDK inhibitors. The protein encoded by this gene is a<br>member of the cyclin family and contains the cyclin box. The encoded protein lacks the<br>protein destabilizing (PEST) sequence that is present in other family members. Transcriptional<br>activation of this gene can be induced by tumor protein p53. Two transcript variants<br>encoding the same protein have been identified for this gene. [provided by RefSeq]. |
| Synonyms:         | Cyclin-G1, Cyclin-G, CCNG1, CCNG, CYCG1                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| Protein Families: | Druggable Genome                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| Protein Pathway   | s: p53 signaling pathway                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |

## Product images:



CCNG1 Antibody (N-term) western blot analysis in HepG2 cell line lysates (35ug/lane).This demonstrates the CCNG1 antibody detected the CCNG1 protein (arrow).

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2024 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US