

Product datasheet for AP51188PU-N

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Deleted in azoospermia 4 (DAZ4) (Center) Rabbit Polyclonal Antibody

Product data:

Product Type: Primary Antibodies

Applications: IHC, WB

Recommended Dilution: ELISA: 1/1000.

Western Blot: 1/100-1/500.

Immunohistochemistry on Paraffin Sections: 1/10-1/50.

Reactivity: Human
Host: Rabbit
Isotype: Ig

Clonality: Polyclonal

Immunogen: KLH conjugated synthetic peptide between 89-120 amino acids from the Central region of

Human DAZ4.

Specificity: This antibody recognizes Human DAZ4 (Center).

Formulation: PBS

State: Aff - Purified

State: Liquid purified Ig fraction Preservative: 0.09% Sodium Azide

Concentration: lot specific

Purification: Protein A column, followed by peptide affinity purification

Conjugation: Unconjugated

Storage: Store undiluted at 2-8°C for one month or (in aliquots) at -20°C for longer.

Avoid repeated freezing and thawing.

Stability: Shelf life: one year from despatch.

Gene Name: deleted in azoospermia 4

Database Link: Entrez Gene 57135 Human

Q86SG3






Background:

This gene is a member of the DAZ gene family and is a candidate for the human Y-chromosomal azoospermia factor (AZF). Its expression is restricted to premeiotic germ cells, particularly in spermatogonia. It encodes an RNA-binding protein that is important for spermatogenesis. Four copies of this gene are found on chromosome Y within palindromic duplications; one pair of genes is part of the P2 palindrome and the second pair is part of the P1 palindrome. Each gene contains a 2.4 kb repeat including a 72-bp exon, called the DAZ repeat; the number of DAZ repeats is variable and there are several variations in the sequence of the DAZ repeat. Each copy of the gene also contains a 10.8 kb region that may be amplified; this region includes five exons that encode an RNA recognition motif (RRM) domain. This gene contains two copies of the 10.8 kb repeat. Alternative splicing results in multiple transcript variants encoding different isoforms. [provided by RefSeq].

Synonyms: Deleted in azoospermia protein 4


Note: Molecular Weight: 64785 Da

Product images:



Western blot analysis of DAZ4 Antibody in A549 cell line lysates (35ug/lane). This demonstrates the DAZ4 antibody detected the DAZ4 protein (arrow)





Formalin fixed, paraffin embedded human testis tissue stained with DAZ4 Antibody followed by peroxidase conjugation of the secondary antibody and DAB staining.