

Product datasheet for AP51783PU-N

GAS2L2 (C-term) Rabbit Polyclonal Antibody

Product data:

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn


| Product Type: | Primary Antibodies |
|-----------------------|--|
| Applications: | IHC, WB |
| Recommended Dilution: | ELISA: 1/1000. Western Blot: 1/100-1/500. Immunohistochemistry on Paraffin Sections: 1/10-1/50. |
| Reactivity: | Human |
| Host: | Rabbit |
| lsotype: | lg |
| Clonality: | Polyclonal |
| Immunogen: | KLH conjugated synthetic peptide between 770-799 amino acids from the C-terminal region of human GAS2L2 |
| Specificity: | This antibody recognizes Human GAS2L2 (C-term). |
| Formulation: | PBS containing 0.09% (W/V) Sodium Azide as preservative State: Aff - Purified State: Liquid purified lg fraction |
| Concentration: | lot specific |
| Purification: | Protein A column, followed by peptide affinity purification |
| Conjugation: | Unconjugated |
| Storage: | Store undiluted at 2-8°C for one month or (in aliquots) at -20°C for longer. Avoid repeated freezing and thawing. |
| Stability: | Shelf life: one year from despatch. |
| Gene Name: | growth arrest specific 2 like 2 |
| Database Link: | <u>Entrez Gene 246176 Human</u> <u>Q8NHY3</u> |
| Background: | Seems to be involved in the cross-linking of microtubules and microfilaments. |
| Synonyms: | GAS2L2, GAR17 |
| Note: | Molecular Weight: 96520 Da |




This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2024 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US



Product images:



Western blot analysis of GAS2L2 Antibody (Cterm) in MCF-7 cell line lysates (35ug/lane). This demonstrates the GAS2L2 antibody detected the GAS2L2 protein (arrow).



Immunohistochemistry analysis in formalin fixed and paraffin embedded human skeletal muscle reacted with GAS2L2 Antibody (C-term) followed by peroxidase conjugation of the secondary antibody and DAB staining.

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2024 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US