

# Product datasheet for AP52605PU-N

## JNK1 (MAPK8) (Thr183/Tyr185) Rabbit Polyclonal Antibody

### **Product data:**

#### **Product Type: Primary Antibodies** IHC, WB **Applications:** Recommended Dilution: ELISA: 1/1000. Western Blot: 1/1000. Immunohistochemistry on Paraffin Sections: 1/50-1/100. **Reactivity:** Human, Mouse Host: Rabbit Isotype: lg **Clonality:** Polyclonal Immunogen: KLH conjugated synthetic peptide between 159-195 amino acids from human MAPK8 / JNK1 Specificity: This antibody recognizes Human and Mouse MAPK8 / JNK1 (Thr183/Tyr185). PBS containing 0.09% (W/V) Sodium Azide as preservative Formulation: State: Aff - Purified State: Liquid purified lg fraction Concentration: lot specific **Purification:** Protein A column, followed by peptide affinity purification **Conjugation:** Unconjugated Store undiluted at 2-8°C for one month or (in aliquots) at -20°C for longer. Storage: Avoid repeated freezing and thawing. Stability: Shelf life: one year from despatch. Gene Name: mitogen-activated protein kinase 8 Database Link: Entrez Gene 26419 MouseEntrez Gene 5599 Human P45983



This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2024 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

### OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

	JNK1 (MAPK8) (Thr183/Tyr185) Rabbit Polyclonal Antibody – AP52605PU-N
Background:	The protein encoded by this gene is a member of the MAP kinase family. MAP kinases act as an integration point for multiple biochemical signals, and are involved in a wide variety of cellular processes such as proliferation, differentiation, transcription regulation and development. This kinase is activated by various cell stimuli, and targets specific transcription factors, and thus mediates immediate-early gene expression in response to cell stimuli. The activation of this kinase by tumor-necrosis factor alpha (TNF-alpha) is found to be required for TNF-alpha induced apoptosis. This kinase is also involved in UV radiation induced apoptosis, which is thought to be related to cytochrom c-mediated cell death pathway. Studies of the mouse counterpart of this gene suggested that this kinase play a key role in T cell proliferation, apoptosis and differentiation. Four alternatively spliced transcript variants encoding distinct isoforms have been reported.
Synonyms:	Mitogen-activated protein kinase 8, c-Jun N-terminal kinase 1, JNK-46, JNK-1, PRKM8
Note:	Molecular Weight: 48296 Da
Protein Families:	Druggable Genome, ES Cell Differentiation/IPS, Protein Kinase
Protein Pathways	Adipocytokine signaling pathway, Colorectal cancer, Epithelial cell signaling in Helicobacter pylori infection, ErbB signaling pathway, Fc epsilon RI signaling pathway, Focal adhesion, GnRH signaling pathway, Insulin signaling pathway, MAPK signaling pathway, Neurotrophin signaling pathway, NOD-like receptor signaling pathway, Pancreatic cancer, Pathways in cancer, Progesterone-mediated oocyte maturation, RIG-I-like receptor signaling pathway, Toll- like receptor signaling pathway, Type II diabetes mellitus, Wnt signaling pathway

### **Product images:**



Western blot analysis of MAPK8 / JNK1 Antibody (Thr183/Tyr185) in mouse liver tissue lysates (35ug/lane). This demonstrates the JNK1 antibody detected the JNK1 protein (arrow).

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2024 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US 

### 



Immunohistochemistry analysis in formalin fixed and paraffin embedded human brain tissue reacted with MAPK8 / JNK1 Antibody (Thr183/Tyr185), which was peroxidase conjugated to the secondary antibody and followed by DAB staining.

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2024 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US