

Product datasheet for AP52751PU-N

MRPS12 (Center) Rabbit Polyclonal Antibody

Product data:

Product Type: Primary Antibodies

Applications: IHC, WB

Recommended Dilution: ELISA: 1/1000.

Western Blot: 1/100-1/500.

Immunohistochemistry on Paraffin Sections: 1/10-1/50.

Reactivity: Human
Host: Rabbit
Isotype: Ig

Clonality: Polyclonal

Immunogen: KLH conjugated synthetic peptide between 35-67 amino acids from the Central region of

Human MRPS12

Specificity: This antibody recognizes Human MRPS12 (Center).

Formulation: PBS

State: Aff - Purified

State: Liquid purified Ig fraction Preservative: 0.09% Sodium Azide

Concentration: lot specific

Purification: Affinity Chromatography on Protein A

Conjugation: Unconjugated

Storage: Store undiluted at 2-8°C for one month or (in aliquots) at -20°C for longer.

Avoid repeated freezing and thawing.

Stability: Shelf life: one year from despatch.

Gene Name: mitochondrial ribosomal protein S12

Database Link: Entrez Gene 6183 Human

O15235



OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com



Background:


Mammalian mitochondrial ribosomal proteins are encoded by nuclear genes and help in protein synthesis within the mitochondrion. Mitochondrial ribosomes (mitoribosomes) consist of a small 28S subunit and a large 39S subunit. They have an estimated 75% protein to rRNA composition compared to prokaryotic ribosomes, where this ratio is reversed. Another difference between mammalian mitoribosomes and prokaryotic ribosomes is that the latter contain a 5S rRNA. Among different species, the proteins comprising the mitoribosome differ greatly in sequence, and sometimes in biochemical properties, which prevents easy recognition by sequence homology. This gene encodes a 28S subunit protein that belongs to the ribosomal protein S12P family. The encoded protein is a key component of the ribosomal small subunit and controls the decoding fidelity and susceptibility to aminoglycoside antibiotics. The gene for mitochondrial seryl-tRNA synthetase is located upstream and adjacent to this gene, and both genes are possible candidates for the autosomal dominant deafness gene (DFNA4). Splice variants that differ in the 5' UTR have been found for this gene; all three variants encode the same protein

Synonyms: MRP-S12, MT-RPS12, RPMS12, RPSM12, S12mt

Note: Molecular Weight: 15173 Da


Protein Families: Druggable Genome, Stem cell - Pluripotency

Product images:



Western blot analysis of MRPS12 in CEM cell line lysates (35ug/lane). This demonstrates the MRPS12 antibody detected the MRPS12 protein (arrow).





Formalin fixed and paraffin embedded human pancreas tissue stained with MRPS12 followed by peroxidase conjugation of the secondary antibody and DAB staining.