

Product datasheet for AP55766PU-S

OriGene Technologies, Inc.9620 Medical Center Drive, Ste 200

Rockville, MD 20850, US
Phone: +1-888-267-4436
https://www.origene.com
techsupport@origene.com
EU: info-de@origene.com
CN: techsupport@origene.cn

MAP3K9 pThr312/266 Rabbit Polyclonal Antibody

Product data:

Product Type: Primary Antibodies

Applications: IHC

Recommended Dilution: Immunohistochemistry on paraffin sections: 1:50~1:100.

Reactivity: Human, Mouse

Host: Rabbit
Clonality: Polyclonal

Immunogen: Peptide sequence around phosphorylation site of threonine 312/266(A-G-T(p)-Y-A) derived

from Human MLK1/2 (KLH-conjugated)

Specificity: The antibody detects endogenous levels of MLK1/2 only when phosphorylated at threonine

312/266.

Formulation: Rabbit IgG in phosphate buffered saline (without Mg2+ and Ca2+), pH 7.4, 150mM NaCl,

0.02% sodium azide and 50% glycerol

State: Aff - Purified State: Liquid Ig fraction

Concentration: lot specific

Purification: Affinity chromatography using epitope-specific peptide

Conjugation: Unconjugated

Storage: Upon receipt, store undiluted (in aliquots) at -20°C.

Avoid repeated freezing and thawing.

Stability: Shelf life: one year from despatch.

Predicted Protein Size: 121 kDa

Gene Name: mitogen-activated protein kinase kinase kinase 9

Database Link: Entrez Gene 4293 Human

P80192






MAP3K9 pThr312/266 Rabbit Polyclonal Antibody - AP55766PU-S


Background:

The protein encoded by this gene is a member of the serine/threonine kinase family. This kinase has been shown to activate MAPK8/JNK and MKK4/SEK1, and this kinase itself can be phoshorylated, and thus activated by JNK kinases. This kinase functions preferentially on the JNK signaling pathway, and is reported to be involved in nerve growth factor (NGF) induced neuronal apoptosis.

Synonyms: MLK1, PRKE1, M3K9, MLK2, MST

Product images:





Immunohistochemical analysis of paraffinembedded human brain tissue using MLK1/2 (Phospho-Thr312/266) Antibody (left)or the same antibody preincubated with blocking peptide (right).