

Product datasheet for AR00148PU-N

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com

OriGene Technologies, Inc.

EU: info-de@origene.com CN: techsupport@origene.cn

Toxoplasma gondii p30 Human Protein

Product data:

Product Type: Recombinant Proteins

Description: Toxoplasma gondii p30 recombinant protein, 1 mg

Species: Human
Expression Host: E. coli

Concentration: lot specific

Purity: >95% pure (10% PAGE, coomassie staining) - GS-4B Sepharose-Affinity purification

Buffer: Presentation State: Purified

State: Liquid purified protein

Buffer System: 50 mM Tris-HCl, 1.5M urea containing 50% glycerol

Preparation: Liquid purified protein

Applications: ELISA.

Western Blot.

Protein Description: Recombinant Protein Toxoplasma gondii P30 (SAG1). Contains the P30 (SAG1)

immunodominant region. Contains GST fusion partner. Immunoreactive with Toxoplasma

gondii positive sera.

Storage: Store the protein at -20°C.

Avoid repeated freezing and thawing.

Stability: Shelf life: one year from despatch.

Synonyms: Major surface antigen p30



Toxoplasma gondii p30 Human Protein - AR00148PU-N

Summary:

Toxoplasma is a crescent shaped sporozoan that lives as an intracellular parasite in various tissues of many vertebrates and completes its life cycle in a single host. Its life cycle includes two phases called the intestinal (or enteroepithelial) and extraintestinal phases. The intestinal phase produces oocysts and occurs only in cats, wild as well as domesticated. The extraintestinal phase occurs in all infected animals including cats, and produces tachyzoites (actively proliferating trophozoites) and eventually, bradyzoites (slowly growing trophozoites) or zoitocysts. Infection due to Toxoplasma gondii occurs in pregnant women where a variable degree of immunosuppression may exist or in patients receiving immunosuppressive drug therapy. Toxoplasma infects tissue of the GI tract where an active infection is accompanied by fever and enlargement of the spleen. Symptoms of toxoplasmosis are generally mild but severe infection of lymph nodes may occur. Congenital toxoplasmosis, in which the maternal infection is transmitted during pregnancy, can produce blindness or mental retardation in the newborn.

Protein Families:

ELISA.

Western Blot.