

Product datasheet for AR03019PU-S

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com

OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200

techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

HSP60 (active) Human Protein

Product data:

Product Type: Recombinant Proteins

Description: HSP60 (active) human recombinant protein, 50 μg

Species: Human
Expression Host: E. coli

Concentration: lot specific

Purity: >90% pure as determined by SDS-PAGE analysis.

Buffer: Presentation State: Aff - Purified

State: Liquid Affinity purified protein.

Buffer System: Na-Phosphate, pH 7.5 (20 mM), 150 mM NaCl, 10% Glycerol, 200 mM

Imidazole

Preparation: Liquid Affinity purified protein.

Applications: ATPase Assay

Western Blot Control.

Binding Assays.

ELISA reference standard.

Protein Description: Recombinant Human Hsp60 Protein with ATPase activity, his-tagged

Storage: Store (in aliquots) at -20°C.

Avoid repeated freezing and thawing.

Stability: Shelf life: One year from despatch.

RefSeq: NP 002147

 Locus ID:
 3329

 UniProt ID:
 P10809

 Cytogenetics:
 2q33.1

Synonyms: HSP-60, HSPD1, Heat shock protein 60, Chaperonin 60, HuCHA60, GROEL, GroEL Homolog,

CPN60





HSP60 (active) Human Protein - AR03019PU-S

Summary: This gene encodes a member of the chaperonin family. The encoded mitochondrial protein

may function as a signaling molecule in the innate immune system. This protein is essential for the folding and assembly of newly imported proteins in the mitochondria. This gene is adjacent to a related family member and the region between the 2 genes functions as a bidirectional promoter. Several pseudogenes have been associated with this gene. Two transcript variants encoding the same protein have been identified for this gene. Mutations associated with this gene cause autosomal recessive spastic paraplegia 13. [provided by

RefSeq, Jun 2010]

Protein Families: ATPase Assay

Western Blot Control.

Binding Assays.

ELISA reference standard.

Protein Pathways: RNA degradation, Type I diabetes mellitus