

### Product datasheet for AR09091PU-N

#### OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

# VAMP-2 / Synaptobrevin-2 (1-89, His-tag) Human Protein

#### **Product data:**

**Product Type:** Recombinant Proteins

**Description:** VAMP-2 / Synaptobrevin-2 (1-89, His-tag) human protein, 0.1 mg

Species: Human
Expression Host: E. coli

Expression cDNA Clone MRGSHHHHHH GMASMTGGQQ MGRDLYDDDD KDRWGSHMSA TAATAPPAAP AGEGGPPAPP or AA Sequence: PNLTSNRRLQ QTQAQVDEVV DIMRVNVDKV LERDQKLSEL DDRADALQAG ASQFETSAAKLKRKYW

Tag: His-tag
Predicted MW: 13.8 kDa
Concentration: lot specific

**Purity:** ≥95 by SDS PAGE

**Buffer:** Presentation State: Purified

State: Liquid purified protein

Buffer System: PBS, pH 7.4, 1 mM EDTA

**Preparation:** Liquid purified protein

**Protein Description:** Synaptobrevin 2, amino acids 1-89, fused to His-tag was expressed in E.coli.

Storage: Store (in aliquots) at -20°C. Avoid repeated freezing and thawing.

**Stability:** Shelf life: one year from despatch.

**RefSeq:** NP 001317054

 Locus ID:
 6844

 UniProt ID:
 F8WCA0

 Cytogenetics:
 17p13.1

Synonyms: NEDHAHM; SYB2; VAMP-2





**Summary:** 

The protein encoded by this gene is a member of the vesicle-associated membrane protein (VAMP)/synaptobrevin family. Synaptobrevins/VAMPs, syntaxins, and the 25-kD synaptosomal-associated protein SNAP25 are the main components of a protein complex involved in the docking and/or fusion of synaptic vesicles with the presynaptic membrane. This gene is thought to participate in neurotransmitter release at a step between docking and fusion. The protein forms a stable complex with syntaxin, synaptosomal-associated protein, 25 kD, and synaptotagmin. It also forms a distinct complex with synaptophysin. It is a likely candidate gene for familial infantile myasthenia (FIMG) because of its map location and because it encodes a synaptic vesicle protein of the type that has been implicated in the pathogenesis of FIMG. [provided by RefSeq, Jul 2008]


**Protein Families:** 

Druggable Genome, Secreted Protein, Transmembrane

**Protein Pathways:** 

SNARE interactions in vesicular transport

## **Product images:**



15% SDS-PAGE (3ug)