

## Product datasheet for **AR09137PU-N**

### Osteoprotegerin / TNFRSF11B (22-401, His-tag) Human Protein

#### Product data:

<b>Product Type:</b>	Recombinant Proteins
<b>Description:</b>	Osteoprotegerin / TNFRSF11B (22-401, His-tag) human recombinant protein, 0.15 mg
<b>Species:</b>	Human
<b>Expression Host:</b>	Insect
<b>Expression cDNA Clone or AA Sequence:</b>	<u>ADPETFPPKY</u> LHYDEETSHQ LLCDKCPPGT YLKQHCTAKW KTVCAPCPDH YYTDSWHTSD ECLYCSPVCK ELQYVKQECN RTHNRVCECK EGRYLEIEFC LKHRSCPPGF GVVQAGTPER NTVCKRCPDG FFSNETSSKA PCRKHTNCSV FGLLLTQKGN ATHDNICSGN SESTQKCGID VTLCEEAFFR FAVPTKFTPN WLSVLVDNLP GTKVNAESVE RIKRQHSSQE QTFQLLKLWK HQNKDQDIVK KIIQDIDLCE NSVQRHIGHA NLTFEQLRSL MESLPGKKVG AEDIEKTIKA CKPSDQILKL LSLWRIKNGD QDTLKGLMHA LKHSKTYHFP KTVTQSLKKT IRLHSFTMY KLYQKLFLEM IGNQVQSVKI SCL <u>HHHHHH</u>
<b>Tag:</b>	His-tag
<b>Predicted MW:</b>	44.7 kDa
<b>Concentration:</b>	lot specific
<b>Purity:</b>	>90% by SDS - PAGE
<b>Buffer:</b>	Presentation State: Purified State: Liquid purified protein Buffer System: PBS (pH 7.4) containing 10% glycerol
<b>Endotoxin:</b>	< 1.0 EU per 1µg of protein (determined by LAL method )
<b>Preparation:</b>	Liquid purified protein
<b>Protein Description:</b>	Recombinant human osteoprotegerin protein, fused to His-tag at C-terminus, was expressed in insect cell using baculovirus expression system and purified by using conventional chromatography techniques.
<b>Note:</b>	(On SDS-PAGE under denatured condition, apparent molecular weight of glycosylated rhOPG protein will be appeared at approximately 55kDa).
<b>Storage:</b>	Store undiluted at 2-8°C for one month or (in aliquots) at -20°C for longer. Avoid repeated freezing and thawing.
<b>Stability:</b>	Shelf life: one year from despatch.



[View online »](#)

RefSeq: [NP\\_002537](#)

Locus ID: 4982

UniProt ID: [O00300](#)

Cytogenetics: 8q24.12


Synonyms: OCIF; OPG; PDB5; TR1

**Summary:** The protein encoded by this gene is a member of the TNF-receptor superfamily. This protein is an osteoblast-secreted decoy receptor that functions as a negative regulator of bone resorption. This protein specifically binds to its ligand, osteoprotegerin ligand, both of which are key extracellular regulators of osteoclast development. Studies of the mouse counterpart also suggest that this protein and its ligand play a role in lymph-node organogenesis and vascular calcification. Alternatively spliced transcript variants of this gene have been reported, but their full length nature has not been determined. [provided by RefSeq, Jul 2008]

**Protein Families:** Druggable Genome, Secreted Protein

**Protein Pathways:** Cytokine-cytokine receptor interaction

### Product images:



12% SDS-PAGE (3ug)