

Product datasheet for AR09243PU-N

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Neurokinin B / TAC3 (17-121, His-tag) Human Protein

Product data:

Product Type: Recombinant Proteins

Description: Neurokinin B / TAC3 (17-121, His-tag) human recombinant protein, 0.1 mg

Species: Human E. coli **Expression Host:**

MGSSHHHHHH SSGLVPRGSH QSFGAVCKEP QEEVVPGGGR SKRDPDLYQL LQRLFKSHSS **Expression cDNA Clone**

LEGLLKALSQ ASTDPKESTS PEKRDMHDFF VGLMGKRSVQ PDSPTDVNQE NVPSFGILKY PPRAE or AA Sequence:

Tag: His-tag Predicted MW: 13.8 kDa **Concentration:** lot specific

Purity: >95% by SDS - PAGE

Buffer: Presentation State: Purified

State: Liquid purified protein

Buffer System: 20 mM Tris-HCl buffer (pH 8.0) containing 20% glycerol

Liquid purified protein Preparation:

Protein Description: Recombinant human Neurokinin B, fused to His-tag at N-terminus, was expressed in E.coli

and purified by using conventional chromatography.

Storage: Store undiluted at 2-8°C for up to two weeks or (in aliquots) at -20°C or -70°C for longer.

Avoid repeated freezing and thawing.

Stability: Shelf life: one year from despatch.

NP 001171525 RefSeq:

Locus ID: 6866

UniProt ID: Q9UHF0, A0A024RB97

Cytogenetics: 12q13.3

Synonyms: HH10; LncZBTB39; NK3; NKB; NKNB; PRO1155; ZNEUROK1





Summary:

This gene encodes a member of the tachykinin family of secreted neuropeptides. The encoded preproprotein is proteolytically processed to generate the mature peptide, which is primarily expressed in the central and peripheral nervous systems and functions as a neurotransmitter. This peptide is the ligand for the neurokinin-3 receptor. This protein is also expressed in the outer syncytiotrophoblast of the placenta and may be associated with pregnancy-induced hypertension and pre-eclampsia. Mutations in this gene are associated with normosmic hypogonadotropic hypogonadism. Alternative splicing results in multiple transcript variants, at least one of which encodes an isoform that is proteolytically processed. [provided by RefSeq, Feb 2016]

Protein Families:

Druggable Genome, Secreted Protein

Product images:

