

## **Product datasheet for AR09248PU-N**

## 9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

OriGene Technologies, Inc.

## TARC / CCL17 (24-94, His-tag) Human Protein

**Product data:** 

**Product Type:** Recombinant Proteins

**Description:** TARC / CCL17 (24-94, His-tag) human protein, 50 μg

Species: Human
Expression Host: E. coli

**Expression cDNA Clone** MGSSHHHHHH SSGLVPRGSH MARGTNVGRE CCLEYFKGAI PLRKLKTWYQ TSEDCSRDAI

or AA Sequence: VFVTVQGRAI CSDPNNKRVK NAVKYLQSLE RS

Tag: His-tag
Predicted MW: 10.3 kDa
Concentration: lot specific

Purity: >95% by SDS - PAGE

**Buffer:** Presentation State: Purified

State: Liquid purified peptide

Buffer System: PBS, pH 7.4, containing 10% glycerol

**Endotoxin:**  $< 1.0 \text{ EU per 1} \mu \text{g of protein (determined by LAL method)}$ 

**Preparation:** Liquid purified peptide

**Protein Description:** CCL17, fused to His-tag, was expressed in E.coli and purified by conventional

chromatography, after refolding of the isolated inclusion bodies in a renaturation buffer.

**Storage:** Store undiluted at 2-8°C for up to two weeks or (in aliquots) at -20°C or -70°C for longer.

Avoid repeated freezing and thawing.

**Stability:** Shelf life: one year from despatch.

RefSeq: NP 002978

**Locus ID:** 6361

UniProt ID: Q92583

Cytogenetics: 16q21

**Synonyms:** C-C motif chemokine 17, Small-inducible cytokine A17, SCYA17





**Summary:** 

This antimicrobial gene is one of several Cys-Cys (CC) cytokine genes clustered on the q arm of chromosome 16. Cytokines are a family of secreted proteins involved in immunoregulatory and inflammatory processes. The CC cytokines are proteins characterized by two adjacent cysteines. The cytokine encoded by this gene displays chemotactic activity for T lymphocytes, but not monocytes or granulocytes. The product of this gene binds to chemokine receptors CCR4 and CCR8. This chemokine plays important roles in T cell development in thymus as well as in trafficking and activation of mature T cells. [provided by RefSeq, Sep 2014]

**Protein Families:** Druggable Genome, Secreted Protein

**Protein Pathways:** Chemokine signaling pathway, Cytokine-cytokine receptor interaction

## **Product images:**

