

Product datasheet for **AR09509PU-N**

TP53I3 (1-332, His-tag) Human Protein

Product data:

Product Type:	Recombinant Proteins
Description:	TP53I3 (1-332, His-tag) human recombinant protein, 0.1 mg
Species:	Human
Expression Host:	E. coli
Expression cDNA Clone or AA Sequence:	<u>MGSSHHHHHH SGLVPRGSH</u> MLAVHFDKPG GPENLYVKEV AKPSPGEGEV LLKVAASALN RADLMQRQGQ YDPPPGASNI LGLEASGHVA ELGPGCQGHW KIGDTAMALL PGGGQAQYVT VPEGLLMPPI EGLTLTQAAA IPEAWLTAFAQ LLHLVGNVQA GDYVLIHAGL SGVGTAAIQL TRMAGAIPLV TAGSQKQLQM AEKLGAAAGF NYKKEDFSEA TLKFTKGAGV NLILDICIGGS YWEKNVNCLA LDGRWWLYGL MGGGDINGPL FSKLLFKRGS LITSLRSRD NKYKQMLVNA FTEQILPHFS TEGPQRLLPV LDRIYPVTEI QEAHKYMEAN KNIGKIVLEL PQ
Tag:	His-tag
Predicted MW:	37.6 kDa
Concentration:	lot specific
Purity:	>90% by SDS - PAGE
Buffer:	Presentation State: Purified State: Liquid purified protein Buffer System: 20 mM Tris-HCl buffer (pH 8.0) containing 10% glycerol, 0.1 M NaCl
Preparation:	Liquid purified protein
Protein Description:	Recombinant human TP53I3 protein, fused to His-tag at N-terminus, was expressed in E.coli and purified by using conventional chromatography techniques.
Storage:	Store undiluted at 2-8°C for up to two weeks or (in aliquots) at -20°C or -70°C for longer. Avoid repeated freezing and thawing.
Stability:	Shelf life: one year from despatch.
RefSeq:	<u>NP_001193731</u>
Locus ID:	9540
UniProt ID:	<u>Q53FA7</u>
Cytogenetics:	2p23.3
Synonyms:	PIG3



[View online »](#)

Summary:


The protein encoded by this gene is similar to oxidoreductases, which are enzymes involved in cellular responses to oxidative stresses and irradiation. This gene is induced by the tumor suppressor p53 and is thought to be involved in p53-mediated cell death. It contains a p53 consensus binding site in its promoter region and a downstream pentanucleotide microsatellite sequence. P53 has been shown to transcriptionally activate this gene by interacting with the downstream pentanucleotide microsatellite sequence. The microsatellite is polymorphic, with a varying number of pentanucleotide repeats directly correlated with the extent of transcriptional activation by p53. It has been suggested that the microsatellite polymorphism may be associated with differential susceptibility to cancer. Alternatively spliced transcript variants encoding different isoforms have been found for this gene. [provided by RefSeq, May 2011]

Protein Families:

Druggable Genome

Protein Pathways:

p53 signaling pathway

Product images:

15% SDS-PAGE (3ug)