

Product datasheet for AR09595PU-N

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

OriGene Technologies, Inc.

TSTA3 (1-321, His-tag) Human Protein

Product data:

Product Type: Recombinant Proteins

Description: TSTA3 (1-321, His-tag) human recombinant protein, 0.1 mg

Species: Human
Expression Host: E. coli

Expression cDNA Clone

or AA Sequence:

MGSSHHHHHH SSGLVPRGSH MGEPQGSMRI LVTGGSGLVG KAIQKVVADG AGLPGEDWVF VSSKDADLTD TAQTRALFEK VQPTHVIHLA AMVGGLFRNI KYNLDFWRKN VHMNDNVLHS AFEVGARKVV SCLSTCIFPD KTTYPIDETM IHNGPPHNSN FGYSYAKRMI DVQNRAYFQQ

AFEVGARKVV SCLSTCIFPD KTTYPIDETM IHNGPPHNSN FGYSYAKRMI DVQNRAYFQQ YGCTFTAVIP TNVFGPHDNF NIEDGHVLPG LIHKVHLAKS SGSALTVWGT GNPRRQFIYS

LDLAQLFIWV LREYNEVEPI ILSVGEEDEV SIKEAAEAVV EAMDFHGEVT FDTTKSDGQF KKTASNSKLR

TYLPDFRFTP FKQAVKETCA WFTDNYEQAR K

Tag: His-tag

Concentration: lot specific

Purity: >90% by SDS - PAGE

Buffer: Presentation State: Purified

State: Liquid purified protein

Buffer System: 20 mM Tris-HCl buffer (pH 8.0) containing 10% glycerol, 2 mM DTT, 50 mM

NaCl

Preparation: Liquid purified protein

Protein Description: Recombinant human TSTA3 protein, fused to His-tag at N-terminus, was expressed in E.coli

and purified by using conventional chromatography techniques.

Storage: Store undiluted at 2-8°C for up to two weeks or (in aliquots) at -20°C or -70°C for longer.

Avoid repeated freezing and thawing.

Stability: Shelf life: one year from despatch.

RefSeq: <u>NP 003304</u>

Locus ID: 7264

UniProt ID: <u>Q13630, A0A140VKC8</u>

Cytogenetics: 8q24.3

Synonyms: FX; P35B; SDR4E1; TSTA3





Summary: Tissue specific transplantation antigen P35B is a NADP(H)-binding protein. It catalyze the two-

step epimerase and the reductase reactions in GDP-D-mannose metabolism, converting GDP-

4-keto-6-D-deoxymannose to GDP-L-fucose. GDP-L-fucose is the substrate of several fucosyltransferases involved in the expression of many glycoconjugates, including blood group ABH antigens and developmental adhesion antigens. Mutations in this gene may cause


leukocyte adhesion deficiency, type II. [provided by RefSeq, Jul 2008]

Protein Families: Druggable Genome

Protein Pathways: Amino sugar and nucleotide sugar metabolism, Fructose and mannose metabolism,

Metabolic pathways

Product images:



15% SDS-PAGE (3ug)