

Product datasheet for AR09856PU-N

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

LD78 beta / CCL3L1 (26-93, His-tag) Human Protein

Product data:

Product Type: Recombinant Proteins

Description: LD78 beta / CCL3L1 (26-93, His-tag) human recombinant protein, 0.1 mg

Species: Human
Expression Host: E. coli

Expression cDNA Clone MGSSHHHHHH SSGLVPRGSH MSLAADTPTA CCFSYTSRQI PQNFIADYFE TSSQCSKPSV

or AA Sequence: IFLTKRGRQV CADPSEEWVQ KYVSDLELSA

Tag: His-tag

Concentration: lot specific

Purity: >90%

Buffer: Presentation State: Purified

State: Liquid purified peptide

Buffer System: PBS, pH 7.4, containing 10% glycerol

Endotoxin: < 1.0 EU per 1 μg of protein (determined by LAL method)

Preparation: Liquid purified peptide

Protein Description: Recombinant human CCL3L1, fused to His-tag at N-terminus, was expressed in E.coli and

purifed by conventional chromatography, after refolding of the isolated inclusion bodies in a

renaturation buffer.

Storage: Store undiluted at 2-8°C for up to two weeks or (in aliquots) at -20°C or -70°C for longer.

Avoid repeated freezing and thawing.

Stability: Shelf life: one year from despatch.

RefSeq: NP 001001437

 Locus ID:
 414062

 UniProt ID:
 P16619

 Cytogenetics:
 17q12

Synonyms: 464.2; D17S1718; G0S19-2; LD78; LD78BETA; SCYA3L; SCYA3L1





Summary:

This gene is one of several cytokine genes that are clustered on the q-arm of chromosome 17. Cytokines are a family of secreted proteins that function in inflammatory and immunoregulatory processes. The protein encoded by this gene binds to several chemokine receptors, including chemokine binding protein 2 and chemokine (C-C motif) receptor 5 (CCR5). CCR5 is a co-receptor for HIV, and binding of this protein to CCR5 inhibits HIV entry. The copy number of this gene varies among individuals, where most individuals have one to six copies, and a minority of individuals have zero or more than six copies. There are conflicting reports about copy number variation of this gene and its correlation to disease susceptibility.[provided by RefSeq, Apr 2014]

Protein Families: Druggable Genome

Protein Pathways: Chemokine signaling pathway, Cytokine-cytokine receptor interaction

Product images:

