

Product datasheet for AR09992PU-N

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Endonuclease III / nth (1-211, His-tag) Escherichia coli Protein

Product data:

Product Type: Recombinant Proteins

Description: Endonuclease III / nth (1-211, His-tag) e. coli recombinant protein, 50 μg

Species: Escherichia coli

Expression Host: E. coli

Expression cDNA Clone MGSSHHHHHH SSGLVPRGSH MNKAKRLEIL TRLRENNPHP TTELNFSSPF ELLIAVLLSA

or AA Sequence: QATDVSVNKA TAKLYPVANT PAAMLELGVE GVKTYIKTIG LYNSKAENII KTCRILLEQH NGEVPEDRAA

LEALPGVGRK TANVVLNTAF GWPTIAVDTH IFRVCNRTQF APGKNVEQVE EKLLKVVPAE

FKVDCHHWLI LHGRYTCIAR KPRCGSCIIE DLCEYKEKVD I

Tag: His-tag

Predicted MW: 25.7 kDa

Concentration: lot specific

Purity: >85%

Buffer: Presentation State: Purified

State: Liquid purified protein

Buffer System: 20 mM Tris-HCl buffer (pH 8.0) containing 40% glycerol, 0.1M NaCl, 1 mM DTT,

0.1 mM PMSF

Preparation: Liquid purified protein

Protein Description: Recombinant E.coli nth protein, fused to His-tag at N-terminus, was expressed in E.coli and

purified by using conventional chromatography.

Storage: Store undiluted at 2-8°C for up to two weeks or (in aliquots) at -20°C or -70°C for longer.

Avoid repeated freezing and thawing.

Stability: Shelf life: one year from despatch.

Summary: Nth, also known as Endonuclease III, has an apurinic and/or apyrimidinic endonuclease

activity and a DNA N-glycosylase activity. This enzyme incises damaged DNA at cytosines, thymines and guanines. Nth acts on a damaged strand, 5' from the damaged site. This

enzyme is required for the repair of both oxidative DNA damage and spontaneous mutagenic

lesions.





Product images:

