

## Product datasheet for **AR31131PU-L**

### Neuropeptide Y / NPY Human, Rat Protein

#### Product data:

Product Type:	Recombinant Proteins
Description:	Neuropeptide Y / NPY human, rat protein, 1.0 mg
Species:	Human, Rat
Expression cDNA Clone or AA Sequence:	YPSKPDNPGEDAPAEDMARYYSALRHYINLITRQRY-NH2 (1-Letter code). H-Tyr-Pro-Ser-Lys-Pro-Asp-Asn-Pro-Gly-Glu-Asp-Ala-Pro-Ala-Glu-Asp-Met-Ala-Arg-Tyr-Tyr-Ser-Ala-Leu-Arg-His-Tyr-Ile-Asn-Leu-Ile-Thr-Arg-Gln-Arg-Tyr-NH2 (3-Letter code).
Predicted MW:	4271.66 Da
Purity:	>95% by HPLC
Buffer:	State: Purified peptide
Preparation:	Purified peptide
Protein Description:	Neuropeptide Y (Human, Rat). <b>Formula:</b> C <sub>189</sub> H <sub>285</sub> N <sub>55</sub> O <sub>57</sub> S
Storage:	Upon receipt, store undiluted (in aliquots) at -20°C. Avoid repeated freezing and thawing.
Stability:	Shelf life: One year from despatch.
RefSeq:	<a href="#">NP_000896</a>
Locus ID:	4852
UniProt ID:	<a href="#">P01303</a> , <a href="#">A4D158</a>
Cytogenetics:	7p15.3
Synonyms:	PYY4



[View online »](#)

<b>Summary:</b>	This gene encodes a neuropeptide that is widely expressed in the central nervous system and influences many physiological processes, including cortical excitability, stress response, food intake, circadian rhythms, and cardiovascular function. The neuropeptide functions through G protein-coupled receptors to inhibit adenylyl cyclase, activate mitogen-activated protein kinase (MAPK), regulate intracellular calcium levels, and activate potassium channels. A polymorphism in this gene resulting in a change of leucine 7 to proline in the signal peptide is associated with elevated cholesterol levels, higher alcohol consumption, and may be a risk factor for various metabolic and cardiovascular diseases. The protein also exhibits antimicrobial activity against bacteria and fungi. [provided by RefSeq, Oct 2014]
<b>Protein Families:</b>	Druggable Genome, Secreted Protein, Transmembrane
<b>Protein Pathways:</b>	Adipocytokine signaling pathway