

Product datasheet for AR31187PU-N

Interleukin-27 / IL27A Human Protein

Product data:

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Product Type:	Recombinant Proteins
Description:	Interleukin-27 / IL27A human recombinant protein, 10 μg
Species:	Human
Expression Host:	HEK293
Expression cDNA Clone or AA Sequence:	p28 subunit :FPRPPGRPQL SLQELRREFT VSLHLARKLL SEVRGQAHRF AESHLPGVNLYLLPLGEQLP DVSLTFQAWR RLSDPERLCF ISTTLQPFHA LLGGLGTQGR WTNMERMQLWAMRLDLRDLQ RHLRFQVLAA GFNLPEEEE EEEEEEEERK GLLPGALGSA LQGPAQVSWPQLLSTYRLLH SLELVLSRAV RELLLLSKAG HSVWPLGFPT LSPQP EBI3 subunit :RKGPPAALTL PRVQCRASRY PIAVDCSWTL PPAPNSTSPV SFIATYRLGMAARGHSWPCL QQTPTSTSCT ITDVQLFSMA PYVLNVTAVH PWGSSSSFVP FITEHIIKPD PPEGVRLSPLAERQLQVQWE PPGSWPFPEI FSLKYWIRYK RQGAARFHRV GPIEATSFIL RAVRPRARYYVQVAAQDLTD YGELSDWSLP ATATMSLGK
Predicted MW:	47.8 kDa
Purity:	>90% pure by SDS-PAGE gel and HPLC analyses
Buffer:	Presentation State: Purified State: Lyophilized (0.2µ Sterile filtered) purified protein Buffer System: 10 mM Sodium Phosphate, pH 6.5 + 100mM NaCl
Bioactivity:	Biological: Determined by its ability to stimulate the proliferation of Human TF-1 cells. The expected ED ₅₀ range is 400-500 ng/ml.
Endotoxin:	< 0.1 ng/µg of protein (<1EU/µg)
Reconstitution Method:	Restore in water to a concentration of 0.1-1.0 mg/ml. Do not vortex. For extended storage, it is recommended to further dilute in a buffer containing a carrier protein (example 0.1% BSA) and store in working aliquots at -20°C to - 80°C.
Preparation:	Lyophilized (0.2µ Sterile filtered) purified protein
Protein Description:	Recombinant Human IL-27 produced from <i>HEK293</i> cells is a non-disulfide-linked, heterodimeric protein composed of a 209 amino acid length EBI3 subunit and a 215 amino acid length IL-27-p28 subunit, for a total sequence length of 424 amino acid residues. The calculated molecular weight of the associated IL-27 subunits is 47.8 kDa.



This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2023 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

	Interleukin-27 / IL27A Human Protein – AR31187PU-N
Storage:	Store lyophilized at 2-8°C for 6 months or at -20°C long term. After reconstitution store the antibody undiluted at 2-8°C for one month or (in aliquots) at -20°C long term. Avoid repeated freezing and thawing.
Stability:	Shelf life: one year from despatch.
RefSeq:	<u>NP 663634</u>
Locus ID:	246778
UniProt ID:	Q8NEV9
Cytogenetics:	16p12.1-p11.2
Synonyms:	IL-27; IL-27A; IL27A; IL27p28; IL30; p28
Summary:	The protein encoded by this gene is one of the subunits of a heterodimeric cytokine complex. This protein is related to interleukin 12A (IL12A). It interacts with Epstein-Barr virus induced gene 3 (EBI3), a protein similar to interleukin 12B (IL12B), and forms a complex that has been shown to drive rapid expansion of naive but not memory CD4(+) T cells. The complex is also found to synergize strongly with interleukin 12 to trigger interferon gamma (IFNG) production of naive CD4(+) T cells. The biological effects of this cytokine are mediated by the class I cytokine receptor (WSX1/TCRR). [provided by RefSeq, Jul 2008]
Protein Families	: Druggable Genome, Transmembrane

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2023 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US