

## Product datasheet for AR39066PU-N

## 9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com

CN: techsupport@origene.cn

OriGene Technologies, Inc.

## RAB13 (1-200, His-tag) Human Protein

**Product data:** 

**Product Type:** Recombinant Proteins

**Description:** RAB13 (1-200, His-tag) human recombinant protein, 50 μg

Species: Human
Expression Host: E. coli

Expression cDNA Clone MGSSHHHHHH SSGLVPRGSH MAKAYDHLFK LLLIGDSGVG KTCLIIRFAE DNFNNTYIST

or AA Sequence: IGIDFKIRTV DIEGKKIKLQ VWDTAGQERF KTITTAYYRG AMGIILVYDI TDEKSFENIQ NWMKSIKENA

SAGVERLLLG NKCDMEAKRK VQKEQADKLA REHGIRFFET SAKSSMNVDE AFSSLARDIL

LKSGGRRSGN GNKPPSTDLK TCDKKNTNKC

Tag: His-tag
Predicted MW: 24.7 kDa

Concentration: lot specific

**Purity:** >85%

**Buffer:** Presentation State: Purified

State: Liquid purified protein

Buffer System: 20 mM Tris-HCl buffer (pH 8.0) containing 1 mM DTT, 20% glycerol, 200 mM

NaCl, 1 mM EDTA

**Preparation:** Liquid purified protein

**Protein Description:** Recombinant human RAB13 protein, fused to His-tag at N-terminus, was expressed in E.coli

and purified by using conventional chromatography techniques.

**Storage:** Store undiluted at 2-8°C for up to two weeks or (in aliquots) at -20°C or -70°C for longer.

Avoid repeated freezing and thawing.

**Stability:** Shelf life: one year from despatch.

**RefSeq:** <u>NP 001258967</u>

**Locus ID:** 5872

UniProt ID: <u>P51153</u>, <u>A0A087WWB9</u>

Cytogenetics: 1q21.3 Synonyms: GIG4





**Summary:** 

This gene is a member of the Rab family of small G proteins and plays a role in regulating membrane trafficking between trans-Golgi network (TGN) and recycling endosomes (RE). The encoded protein is involved in the assembly of tight junctions, which are components of the apical junctional complex (AJC) of epithelial cells. The AJC plays a role in forming a barrier between luminal contents and the underlying tissue. Additional functions associated with the protein include endocytic recycling of occludin, regulation of epithelial cell scattering, neuronal regeneration and regulation of neurite outgrowth. Alternately spliced transcript variants have been observed for this gene. A pseudogene associated with this gene is located on chromosome 12. [provided by RefSeq, Jan 2013]

**Protein Families:** Druggable Genome

**Protein Pathways:** Tight junction

## **Product images:**

