

## Product datasheet for AR50000PU-S

## OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

## **Leptin Human Protein**

**Product data:** 

**Product Type:** Recombinant Proteins

**Description:** Leptin human recombinant protein, 0.1 mg

Species: Human
Expression Host: E. coli

**Expression cDNA Clone** 

or AA Sequence:

MVPIQKVQDD TKTLIKTIVT RINDISHTQS VSSKQKVTGL DFIPGLHPIL TLSKMDQTLA VYQQILTSMP

SRNVIQISND LENLRDLLHV LAFSKSCHLP WASGLETLDS LGGVLEASGY STEVVALSRL

QGSLQDMLWQ LDLSPGC

**Predicted MW:** 16 kDa

**Concentration:** lot specific

Purity: >95% by SDS - PAGE

**Buffer:** Presentation State: Purified

Buffer System: Form: Liquid. In Phosphate buffered saline, pH 7.4.

**Protein Description:** Recombinant human leptin was overexpressed as insoluble protein aggregate in E.coli and

purified by FPLC gel-filtration chromatography, after refolding of the isolated inclusion bodies

in a renaturation buffer.

**Storage:** Store undiluted at 2-8°C for one week or (in aliquots) at -20°C to -80°C for longer.

Avoid repeated freezing and thawing.

**Stability:** Shelf life: one year from despatch.

**RefSeq:** NP 000221

**Locus ID:** 3952

UniProt ID: <u>P41159</u>, <u>A4D0Y8</u>

Cytogenetics: 7q32.1

Synonyms: LEPD; OB; OBS





**Summary:** 


This gene encodes a protein that is secreted by white adipocytes into the circulation and plays a major role in the regulation of energy homeostasis. Circulating leptin binds to the leptin receptor in the brain, which activates downstream signaling pathways that inhibit feeding and promote energy expenditure. This protein also has several endocrine functions, and is involved in the regulation of immune and inflammatory responses, hematopoiesis, angiogenesis, reproduction, bone formation and wound healing. Mutations in this gene and its regulatory regions cause severe obesity and morbid obesity with hypogonadism in human patients. A mutation in this gene has also been linked to type 2 diabetes mellitus development. [provided by RefSeq, Aug 2017]

**Protein Families:** Druggable Genome, Secreted Protein

**Protein Pathways:** Adipocytokine signaling pathway, Cytokine-cytokine receptor interaction, Jak-STAT signaling

pathway, Neuroactive ligand-receptor interaction

## **Product images:**



14% SDS-PAGE (3ug)