

## Product datasheet for **AR50029PU-N**

### TCEB2 (1-118) (recombinant) Human Protein

#### Product data:

Product Type:	Recombinant Proteins
Description:	TCEB2 (1-118) (recombinant) human recombinant protein, 0.5 mg
Species:	Human
Expression Host:	E. coli
Expression cDNA Clone or AA Sequence:	MDVFLMIRRH KTTIFTDAKE SSTVFELKRI VEGILKRPPD EQRLYKDDQL LDDGKTLGEC GFTSQATARPQ APATVGLAFR ADDTFEALCI EPFSSPELP DVMKPKQDSGS SANEQAVQ
Predicted MW:	13.1 kDa
Concentration:	lot specific
Purity:	>95% by SDS - PAGE
Buffer:	Presentation State: Purified State: Liquid purified protein Buffer System: 20 mM Tris-HCl buffer (pH 8.0) containing 1mM DTT, 0.1 mM PMSF, 20% glycerol
Preparation:	Liquid purified protein
Protein Description:	Recombinant TCEB2 was expressed as insoluble protein aggregate in E.coli and purified by conventional chromatography, after refolding of the isolated inclusion bodies in a renaturation buffer.
Storage:	Store undiluted at 2-8°C for one week or (in aliquots) at -20°C to -80°C for longer. Avoid repeated freezing and thawing.
Stability:	Shelf life: one year from despatch.
RefSeq:	<a href="#">NP_009039</a>
Locus ID:	6923
UniProt ID:	<a href="#">Q15370</a>
Cytogenetics:	16p13.3
Synonyms:	SIII; TCEB2



[View online »](#)

**Summary:**

This gene encodes the protein elongin B, which is a subunit of the transcription factor B (SIII) complex. The SIII complex is composed of elongins A/A2, B and C. It activates elongation by RNA polymerase II by suppressing transient pausing of the polymerase at many sites within transcription units. Elongin A functions as the transcriptionally active component of the SIII complex, whereas elongins B and C are regulatory subunits. Elongin A2 is specifically expressed in the testis, and capable of forming a stable complex with elongins B and C. The von Hippel-Lindau tumor suppressor protein binds to elongins B and C, and thereby inhibits transcription elongation. Two alternatively spliced transcript variants encoding different isoforms have been described for this gene. Pseudogenes have been identified on chromosomes 11 and 13. [provided by RefSeq, Aug 2008]

**Protein Families:**

Druggable Genome, Transcription Factors

**Protein Pathways:**

Pathways in cancer, Renal cell carcinoma, Ubiquitin mediated proteolysis

**Product images:**