

## Product datasheet for AR50056PU-N

## 9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

OriGene Technologies, Inc.

## PSMA2 (1-234, His-tag) Human Protein

**Product data:** 

**Product Type:** Recombinant Proteins

**Description:** PSMA2 (1-234, His-tag) human recombinant protein, 0.5 mg

Species: Human
Expression Host: E. coli

Expression cDNA Clone

or AA Sequence:

MGSSHHHHHH SSGLVPRGSH MAERGYSFSL TTFSPSGKLV QIEYALAAVA GGAPSVGIKA ANGVVLATEK KQKSILYDER SVHKVEPITK HIGLVYSGMG PDYRVLVHRA RKLAQQYYLV YQEPIPTAQL VQRVASVMQE YTQSGGVRPF GVSLLICGWN EGRPYLFQSD PSGAYFAWKA TAMGKNYVNG KTFLEKRYNE DLELEDAIHT AILTLKESFE GQMTEDNIEV GICNEAGFRR

LTPTEVKDYL AAIA

Tag:His-tagPredicted MW:28.0 kDaConcentration:lot specific

Purity: >95% by SDS - PAGE

**Buffer:** Presentation State: Purified

State: Liquid purified protein

Buffer System: 20 mM Tris-HCl buffer (pH 8.0) containing 30% glycerol, 0.1M NaCl, 1 mM DTT,

0.1 mM PMSF

**Preparation:** Liquid purified protein

**Protein Description:** Recombinant human PSMA2 protein, fused to His-tag at N-terminus, was expressed in E.coli

and purified by using conventional chromatography.

Storage: Store undiluted at 2-8°C for one week or (in aliquots) at -20°C to -80°C for longer.

Avoid repeated freezing and thawing.

**Stability:** Shelf life: one year from despatch.

RefSeq: <u>NP 002778</u>

**Locus ID:** 5683

**UniProt ID:** P25787, A0A024RA52

Cytogenetics: 7p14.1

Synonyms: HC3; MU; PMSA2; PSC2





**Summary:** 

The proteasome is a multicatalytic proteinase complex with a highly ordered ring-shaped 20S core structure. The core structure is composed of 4 rings of 28 non-identical subunits; 2 rings are composed of 7 alpha subunits and 2 rings are composed of 7 beta subunits. Proteasomes are distributed throughout eukaryotic cells at a high concentration and cleave peptides in an ATP/ubiquitin-dependent process in a non-lysosomal pathway. An essential function of a modified proteasome, the immunoproteasome, is the processing of class I MHC peptides. This gene encodes a member of the peptidase T1A family, that is a 20S core alpha subunit. [provided by RefSeq, Jul 2008]

**Protein Families:** Druggable Genome, Protease

**Protein Pathways:** Proteasome

## **Product images:**

