

## Product datasheet for AR50133PU-S

Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Rockville, MD 20850, US

OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200

## PSMA6 (1-246, His-tag) Human Protein

**Product data:** 

**Product Type: Recombinant Proteins** 

**Description:** PSMA6 (1-246, His-tag) human recombinant protein, 50 μg

Species: Human E. coli **Expression Host:** 

**Expression cDNA Clone** 

MGSSHHHHHH SSGLVPRGSH MGSHMSRGSS AGFDRHITIF SPEGRLYQVE YAFKAINQGG or AA Sequence: LTSVAVRGKD CAVIVTQKKV PDKLLDSSTV THLFKITENI GCVMTGMTAD SRSQVQRARY EAANWKYKYG YEIPVDMLCK RIADISQVYT QNAEMRPLGC CMILIGIDEE QGPQVYKCDP

AGYYCGFKAT AAGVKQTEST SFLEKKVKKK FDWTFEQTVE TAITCLSTVL SIDFKPSEIE VGVVTVENPK

FRILTEAEID AHLVALAERD

Tag: His-tag Predicted MW: 29.9 kDa Concentration: lot specific

**Purity:** >90% by SDS - PAGE

**Buffer:** Presentation State: Purified

State: Liquid purified protein

Buffer System: 20 mM Tris-HCl buffer (pH 8.0) containing 1 mM DTT, 40% glycerol, 0.1M NaCl

Liquid purified protein Preparation:

**Protein Description:** Recombinant human PSMA6 protein, fused to His-tag at N-terminus, was expressed in E.coli

and purified by using conventional chromatography techniques.

Storage: Store undiluted at 2-8°C for one week or (in aliquots) at -20°C to -80°C for longer.

Avoid repeated freezing and thawing.

Stability: Shelf life: one year from despatch.

RefSeq: NP 001269161

Locus ID: 5687 **UniProt ID:** P60900 Cytogenetics: 14q13.2

Synonyms: IOTA; p27K; PROS27





**Summary:** 

The proteasome is a multicatalytic proteinase complex with a highly ordered ring-shaped 20S core structure. The core structure is composed of 4 rings of 28 non-identical subunits; 2 rings are composed of 7 alpha subunits and 2 rings are composed of 7 beta subunits. Proteasomes are distributed throughout eukaryotic cells at a high concentration and cleave peptides in an ATP/ubiquitin-dependent process in a non-lysosomal pathway. An essential function of a modified proteasome, the immunoproteasome, is the processing of class I MHC peptides. This gene encodes a member of the peptidase T1A family, that is a 20S core alpha subunit. Multiple transcript variants encoding several different isoforms have been found for this gene. A pseudogene has been identified on the Y chromosome. [provided by RefSeq, Aug 2013]

**Protein Families:** Druggable Genome, Protease, Stem cell - Pluripotency

**Protein Pathways:** Proteasome

## **Product images:**

