

Product datasheet for AR50569PU-S

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com

CN: techsupport@origene.cn

OriGene Technologies, Inc.

ECSIT (19-217, His-tag) Human Protein

Product data:

Product Type: Recombinant Proteins

Description: ECSIT (19-217, His-tag) human recombinant protein, 50 μg

Species: Human
Expression Host: E. coli

Expression cDNA Clone

or AA Sequence:

MGSSHHHHHH SSGLVPRGSH MGSGTCGAAL TGTSISQVPL PKDSTGAADP PQPHIVGIQS PDQQAALARH NPARPVFVEG PFSLWLRNKC VYYHILRADL LPPEEREVEE TPEEWNLYYP MQLDLEYVRS GWDNYEFDIN EVEEGPVFAM CMAGAHDQAT MAKWIQGLQE TNPTLAQIPV

VFRLAGSTRE LQTSSAGLEE PPLPEDHQEE DDNLQRQQQG QS

Tag: His-tag

Predicted MW: 24.6 kDa

Concentration: lot specific

Purity: >90% by SDS - PAGE

Buffer: Presentation State: Purified

State: Liquid purified protein

Buffer System: 20 mM Tris-HCl buffer (pH 8.0) containing 0.1M NaCl, 10% glycerol, 1 mM DTT

Preparation: Liquid purified protein

Protein Description: Recombinant human ECSIT protein, fused to His-tag at N-terminus, was expressed in E.coli

and purified by using conventional chromatography techniques.

Storage: Store undiluted at 2-8°C for one week or (in aliquots) at -20°C to -80°C for longer.

Avoid repeated freezing and thawing.

Stability: Shelf life: one year from despatch.

RefSeq: NP 001135936

 Locus ID:
 51295

 UniProt ID:
 Q9BQ95

 Cytogenetics:
 19p13.2

 Synonyms:
 SITPEC





Summary: Adapter protein of the Toll-like and IL-1 receptor signaling pathway that is involved in the

activation of NF-kappa-B via MAP3K1. Promotes proteolytic activation of MAP3K1. Involved in the BMP signaling pathway. Required for normal embryonic development (By similarity).

[UniProtKB/Swiss-Prot Function]

Protein Pathways: MAPK signaling pathway

Product images:

