

Product datasheet for AR50902PU-N

OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

ZFAND1 (1-268, His-tag) Human Protein

Product data:

Product Type: Recombinant Proteins

Description: ZFAND1 (1-268, His-tag) human recombinant protein, 0.25 mg

Species: Human
Expression Host: E. coli

Expression cDNA Clone MGSSHHHHHH SSGLVPRGSH MGSMAELDIG QHCQVEHCRQ RDFLPFVCDD CSGIFCLEHR

or AA Sequence: SRESHGCPEV TVINERLKTD QHTSYPCSFK DCAERELVAV ICPYCEKNFC LRHRHQSDHE CEKLEIPKPR

MAATQKLVKD IIDSKTGETA SKRWKGAKNS ETAAKVALMK LKMHADGDKS LPQTERIYFQ VFLPKGSKEK SKPMFFCHRW SIGKAIDFAA SLARLKNDNN KFTAKKLRLC HITSGEALPL

DHTLETWIAK EDCPLYNGGN IILEYLNDEE QFCKNVESYL E

Tag: His-tag
Predicted MW: 33.2 kDa
Concentration: lot specific

Purity: >90% by SDS - PAGE

Buffer: Presentation State: Purified

State: Liquid purified protein

Buffer System: 20 mM Tris-HCl buffer (pH 8.0) containing 0.15M NaCl, 10% glycerol, 1 mM

DTT

Preparation: Liquid purified protein

Protein Description: Recombinant human ZFAND1 protein, fused to His-tag at N-terminus, was expressed in E.coli

and purified by using conventional chromatography techniques.

Storage: Store undiluted at 2-8°C for one week or (in aliquots) at -20°C to -80°C for longer. Avoid

repeated freezing and thawing.

Stability: Shelf life: one year from despatch.

RefSeq: NP 001164267

 Locus ID:
 79752

 UniProt ID:
 Q8TCF1

 Cytogenetics:
 8q21.13






Summary:

Plays a role in the regulation of cytoplasmic stress granules (SGs) turnover. SGs are dynamic and transient cytoplasmic ribonucleoprotein assemblies important for cellular protein homeostasis when protein production is suspended after acute exogenous stress (PubMed:29804830). Associates with SGs and is involved in the efficient and specific arsenite-induced clearance process of SGs through the recruitment of the ubiquitin-selective ATPase VCP and the 26S proteasome (PubMed:29804830). This process requires both complexes for efficient degradation of damaged ubiquitinated SG proteins during recovery from arsenite stress, and hence avoiding aberrant cytoplasmic SGs degradation via autophagy (PubMed:29804830).[UniProtKB/Swiss-Prot Function]

Product images:



15% SDS-PAGE (3ug)