

## Product datasheet for **AR50977PU-S**

### Hemoglobin gamma-1 chain (1-147, His-tag) Human Protein

#### Product data:

Product Type:	Recombinant Proteins
Description:	Hemoglobin gamma-1 chain (1-147, His-tag) human protein, 50 µg
Species:	Human
Expression Host:	E. coli
Expression cDNA Clone or AA Sequence:	MGSSHHHHHH SSGLVPRGSH MGSMGHFTEE DKATITSLWG KVNVEDAGGE TLGRLLVWYP WTQRFFDSFG NLSSASAIMG NPKVKAHGKK VLTSLGDATK HLDDLKGTFA QLSELHCDKL HVDPENFKLL GNVLTVLAI HFGKEFTPEV QASWQKMVTA VASALSSRYH
Tag:	His-tag
Predicted MW:	18 kDa
Concentration:	lot specific
Purity:	>85% by SDS - PAGE
Buffer:	Presentation State: Purified State: Liquid purified protein Buffer System: 20 mM Tris-HCl buffer (pH 8.0) containing 0.15M NaCl, 10% glycerol.
Preparation:	Liquid purified protein
Storage:	Store undiluted at 2-8°C for one week or (in aliquots) at -20°C to -80°C for longer. Avoid repeated freezing and thawing.
Stability:	Shelf life: one year from despatch.
RefSeq:	<a href="#">NP_000550</a>
Locus ID:	3047
UniProt ID:	<a href="#">P69891</a> , <a href="#">D9YZU8</a>
Cytogenetics:	11p15.4
Synonyms:	HBG-T2; HBGA; HBGR; HSGGL1; PRO2979



[View online »](#)

**Summary:**

The gamma globin genes (HBG1 and HBG2) are normally expressed in the fetal liver, spleen and bone marrow. Two gamma chains together with two alpha chains constitute fetal hemoglobin (HbF) which is normally replaced by adult hemoglobin (HbA) at birth. In some beta-thalassemias and related conditions, gamma chain production continues into adulthood. The two types of gamma chains differ at residue 136 where glycine is found in the G-gamma product (HBG2) and alanine is found in the A-gamma product (HBG1). The former is predominant at birth. The order of the genes in the beta-globin cluster is: 5'-epsilon -- gamma-G -- gamma-A -- delta -- beta--3'. [provided by RefSeq, Jul 2008]

**Product images:**