

Product datasheet for **AR50979PU-N**

UBXN2B (His-tag) Human Protein

Product data:


Product Type:	Recombinant Proteins
Description:	UBXN2B (His-tag) human protein, 0.25 mg
Species:	Human
Expression Host:	E. coli
Expression cDNA Clone or AA Sequence:	MGSSHHHHHH SSGLVPRGSH MGSMAEGGGP EPGEQERRSS GPRPPSARDL QLALAELYED EVKCKSSKSN RPKATVFKSP RTPPQRFYSS EHEYSGLNIV RPSTGKIVNE LFKEAREHGA VPLNEATRAS GDDKSKSFTG GGYRLGSSFC KRSEYIYGEN QLQDVQILLK LWSNGFSLDD GELRPYNEPT NAQFLESVKR GEIPLQLRL VHGGQVNLDM EDHQDQEYIK PRLRFKAFSG EGQKLGSLTP EIVSTPSSPE EEDKSILNAV VLIDDSVPTT KIQIRLADGS RLIQRFNSTH RILDVRNFIV QSRPEFAALD FILVTSFPNK ELTDESLTLL EADILNTVLL QQLK
Tag:	His-tag
Predicted MW:	39.5 kDa
Concentration:	lot specific
Purity:	>90% by SDS - PAGE
Buffer:	Presentation State: Purified State: Liquid purified protein Buffer System: 20 mM Tris-HCl buffer (pH 8.0) containing 10% glycerol
Preparation:	Liquid purified protein
Storage:	Store undiluted at 2-8°C for one week or (in aliquots) at -20°C to -80°C for longer. Avoid repeated freezing and thawing.
Stability:	Shelf life: one year from despatch.
RefSeq:	NP_001071087
Locus ID:	137886
UniProt ID:	Q14CS0
Cytogenetics:	8q12.1
Synonyms:	p37



[View online »](#)

Summary:

Adapter protein required for Golgi and endoplasmic reticulum biogenesis (PubMed:17141156). Involved in Golgi and endoplasmic reticulum maintenance during interphase and in their reassembly at the end of mitosis (PubMed:17141156). The complex formed with VCP has membrane fusion activity; membrane fusion activity requires USO1-GOLGA2 tethering and BET1L (PubMed:17141156). VCPIP1 is also required, but not its deubiquitinating activity (PubMed:17141156). Together with NSFL1C/p47, regulates the centrosomal levels of kinase AURKA/Aurora A during mitotic progression by promoting AURKA removal from centrosomes in prophase (PubMed:23649807). Also, regulates spindle orientation during mitosis (PubMed:23649807).[UniProtKB/Swiss-Prot Function]

Product images:

15% SDS-PAGE (3ug)