

Product datasheet for AR51698PU-N

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com

CN: techsupport@origene.cn

OriGene Technologies, Inc.

CDK2 (1-298, His-tag) Human Protein

Product data:

Product Type: Recombinant Proteins

Description: CDK2 (1-298, His-tag) human recombinant protein, 0.25 mg

Species: Human

Expression cDNA Clone

MENFOKVEKI GEGTYGVVYK ARNKLTGEVV ALKKIRLDTE TEGVPSTAIR EISLLKELNH PNIVKLLDVI or AA Sequence:

HTENKLYLVF EFLHQDLKKF MDASALTGIP LPLIKSYLFQ LLQGLAFCHS HRVLHRDLKP

QNLLINTEGA IKLADFGLAR AFGVPVRTYT HEVVTLWYRA PEILLGCKYY STAVDIWSLG CIFAEMVTRR

ALFPGDSEID QLFRIFRTLG TPDEVVWPGV TSMPDYKPSF PKWARQDFSK VVPPLDEDGR

SLLSQMLHYD PNKRISAKAA LAHPFFQDVT KPVPHLRLLE HHHHHH

Tag: His-tag

Predicted MW: 34.9 kDa Concentration: lot specific

Purity: >90% by SDS - PAGE

Buffer: Presentation State: Purified

State: Liquid purified protein

Buffer System: Phosphate buffered saline (pH 7.4), 30% glycerol, 2 mM DTT, 0.1 mM PMSF

Liquid purified protein Preparation:

Protein Description: Recombinant human CDK2 protein, fused to His-tag at C-terminus, was expressed in insect

cells using baculovirus expression system and purified by using conventional

chromatography techniques.

Store undiluted at 2-8°C for one week or (in aliquots) at -20°C to -80°C for longer. Avoid Storage:

repeated freezing and thawing.

Stability: Shelf life: one year from despatch.

RefSeq: NP 001277159

1017 Locus ID:

UniProt ID: P24941, E7ESI2, B4DDL9

Cytogenetics: 12q13.2

Synonyms: CDKN2; p33(CDK2)





Summary: This gene encodes a member of a family of serine/threonine protein kinases that participate

in cell cycle regulation. The encoded protein is the catalytic subunit of the cyclin-dependent protein kinase complex, which regulates progression through the cell cycle. Activity of this protein is especially critical during the G1 to S phase transition. This protein associates with and regulated by other subunits of the complex including cyclin A or E, CDK inhibitor p21Cip1 (CDKN1A), and p27Kip1 (CDKN1B). Alternative splicing results in multiple transcript variants.


[provided by RefSeq, Mar 2014]

Protein Families: Druggable Genome, Protein Kinase

Protein Pathways: Cell cycle, Oocyte meiosis, p53 signaling pathway, Pathways in cancer, Progesterone-

mediated oocyte maturation, Prostate cancer, Small cell lung cancer

Product images:



15% SDS-PAGE (3ug)