

# **Product datasheet for AR51702PU-S**

### OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

### GTF2H5 (1-71, His-tag) Human Protein

### **Product data:**

**Product Type:** Recombinant Proteins

**Description:** GTF2H5 (1-71, His-tag) human recombinant protein, 0.1 mg

Species: Human
Expression Host: E. coli

Expression cDNA Clone MGSSHHHHHH SSGLVPRGSH MGSMVNVLKG VLIECDPAMK QFLLYLDESN ALGKKFIIQD

or AA Sequence: IDDTHVFVIA ELVNVLQERV GELMDQNAFS LTQK

Tag: His-tag
Predicted MW: 10.4 kDa
Concentration: lot specific

Purity: >95% by SDS - PAGE

**Buffer:** Presentation State: Purified

Buffer System: Liquid, In Phosphate buffered saline (pH 7.4) containing 10% glycerol

**Protein Description:** Recombinant human GTF2H5 protein, fused to His-tag at N-terminus, was expressed in E.coli

and purified by using conventional chromatography techniques.

Storage: Store undiluted at 2-8°C for one week or (in aliquots) at -20°C to -80°C for longer. Avoid

repeated freezing and thawing.

**Stability:** Shelf life: one year from despatch.

 RefSeq:
 NP 997001

 Locus ID:
 404672

 UniProt ID:
 Q6ZYL4

 Cytogenetics:
 6q25.3

Synonyms: bA120|8.2; C6orf175; TFB5; TFIIH; TGF2H5; TTD; TTD-A; TTD3; TTDA

**Summary:** This gene encodes a subunit of transcription/repair factor TFIIH, which functions in gene

transcription and DNA repair. This protein stimulates ERCC3/XPB ATPase activity to trigger DNA opening during DNA repair, and is implicated in regulating cellular levels of TFIIH. Mutations in this gene result in trichothiodystrophy, complementation group A. [provided by

RefSeq, Mar 2009]






**Protein Families:** Transcription Factors

**Protein Pathways:** Nucleotide excision repair

## **Product images:**



15% SDS-PAGE (3ug)