

Product datasheet for AR51894PU-N

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

CDw210a / IL10RA (22-235, His-tag) Human Protein

Product data:

Product Type: Recombinant Proteins

Description: CDw210a / IL10RA (22-235, His-tag) human recombinant protein, 0.25 mg

Species: Human

Expression cDNA Clone

or AA Sequence:

HGTELPSPPS VWFEAEFFHH ILHWTPIPNQ SESTCYEVAL LRYGIESWNS ISNCSQTLSY DLTAVTLDLY

HSNGYRARVR AVDGSRHSNW TVTNTRFSVD EVTLTVGSVN LEIHNGFILG KIQLPRPKMA PANDTYESIF SHFREYEIAI RKVPGNFTFT HKKVKHENFS LLTSGEVGEF CVQVKPSVAS

RSNKGMWSKE ECISLTRQYF TVTNHHHHHH

Tag: His-tag
Predicted MW: 25.2 kDa
Concentration: lot specific

Purity: >85% by SDS - PAGE.

Buffer: Presentation State: Purified

State: Liquid purified protein

Buffer System: Phosphate buffered saline (pH 7.4) containing 10% glycerol.

Endotoxin: < 1.0 EU per 1 microgram of protein (determined by LAL method)

Preparation: Liquid purified protein

Protein Description: Recombinant human IL10RA, fused to His-tag at C-terminus, was expressed in insect cell and

purified by using conventional chromatography techniques.

Storage: Store undiluted at 2-8°C for one week or (in aliquots) at -20°C to -80°C for longer.

Avoid repeated freezing and thawing.

Stability: Shelf life: one year from despatch.

RefSeq: NP 001549

 Locus ID:
 3587

 UniProt ID:
 Q13651

 Cytogenetics:
 11q23.3

Synonyms: CD210; CD210a; CDW210A; HIL-10R; IL-10R1; IL10R





Summary:

The protein encoded by this gene is a receptor for interleukin 10. This protein is structurally related to interferon receptors. It has been shown to mediate the immunosuppressive signal of interleukin 10, and thus inhibits the synthesis of proinflammatory cytokines. This receptor is reported to promote survival of progenitor myeloid cells through the insulin receptor substrate-2/PI 3-kinase/AKT pathway. Activation of this receptor leads to tyrosine phosphorylation of JAK1 and TYK2 kinases. Two transcript variants, one protein-coding and the other not protein-coding, have been found for this gene. [provided by RefSeq, Jan 2009]

Protein Families:

Druggable Genome, Transmembrane

Protein Pathways:

Cytokine-cytokine receptor interaction, Jak-STAT signaling pathway

Product images:

