

## **Product datasheet for AR51904PU-N**

#### OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

### FKBP1A / FKBP12 (1-108, His-tag) Mouse Protein

#### **Product data:**

**Product Type:** Recombinant Proteins

**Description:** FKBP1A / FKBP12 (1-108, His-tag) mouse recombinant protein, 0.5 mg

Species: Mouse Expression Host: E. coli

**Expression cDNA Clone** MGSSHHHHHH SSGLVPRGSH MGSHMGVQVE TISPGDGRTF PKRGQTCVVH YTGMLEDGKK

or AA Sequence: FDSSRDRNKP FKFTLGKQEV IRGWEEGVAQ MSVGQRAKLI ISSDYAYGAT GHPGIIPPHA

TLVFDVELLK LE

Tag: His-tag

Predicted MW: 14.4 kDa

Concentration: lot specific

Purity: >95% by SDS - PAGE

**Buffer:** Presentation State: Purified

State: Liquid purified protein

Buffer System: Liquid, In Phosphate buffered saline (pH 7.4) containing 20% glycerol, 1 mM

DTT

**Preparation:** Liquid purified protein

**Protein Description:** Recombinant mouse Fkbp1a, fused to His-tag at N-terminus, was expressed in E.coli and

purified by using conventional chromatography techniques.

Storage: Store undiluted at 2-8°C for one week or (in aliquots) at -20°C to -80°C for longer.

Avoid repeated freezing and thawing.

**Stability:** Shelf life: one year from despatch.

**RefSeg:** NP 001289006

 Locus ID:
 14225

 UniProt ID:
 P26883

 Cytogenetics:
 2 G3

**Synonyms:** Fkb; Fkbp; Fkbp1; FKBP12






**Summary:** 

This gene is a member of the immunophilin family. The encoded protein is a cis-trans prolyl isomerase that binds the immunosuppressants FK506 and rapamycin, and is associated with immunoregulation, protein folding, receptor signaling, protein trafficking and T-cell activation. It may modulate the calcium release activity of the ryanodine receptor Ryr1. It also interacts with the type I TGF-beta receptor. Disruption of this gene in mouse causes severe ventricular defects. Pseudogenes of this gene have been defined on chromosomes 4, 10, 14, and 16. Alternative splicing results in multiple transcript variants. [provided by RefSeq, Sep 2014]

# **Product images:**



15% SDS-PAGE (3ug)