

Product datasheet for AR52053PU-N

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

CD120a / TNFR1 (30-211, hlgG-His tag) Human Protein

Product data:

Product Type: Recombinant Proteins

Description: CD120a / TNFR1 (30-211, hlgG-His tag) human protein, 0.25 mg

Species: Human

Expression cDNA Clone

or AA Sequence:

ADPLVPHLGD REKRDSVCPQ GKYIHPQNNS ICCTKCHKGT YLYNDCPGPG QDTDCRECES
GSFTASENHL RHCLSCSKCR KEMGQVEISS CTVDRDTVCG CRKNQYRHYW SENLFQCFNC
SLCLNGTVHL SCQEKQNTVC TCHAGFFLRE NECVSCSNCK KSLECTKLCL PQIENVKGTE
DSGTTLEPKS CDKTHTCPPC PAPELL GGPS VELEPPKPKD TLMISPTPEV TCVAVDVSHE

DSGTTLEPKS CDKTHTCPPC PAPELLGGPS VFLFPPKPKD TLMISRTPEV TCVVVDVSHE
DPEVKFNWYV DGVEVHNAKT KPREEQYNST YRVVSVLTVL HQDWLNGKEY KCKVSNKALP
APIEKTISKA KGQPREPQVY TLPPSRDELT KNQVSLTCLV KGFYPSDIAV EWESNGQPEN

NYKTTPPVLD SDGSFFLYSK LTVDKSRWQQ GNVFSCSVMH EALHNHYTQK SLSLSPGKHH HHHH

Tag: hlgG-His-tag

Predicted MW: 47.7 kDa

Concentration: lot specific

Purity: >90% by SDS - PAGE

Buffer: Presentation State: Purified

State: Liquid purified protein

Buffer System: Phosphate Buffered Saline (pH 7.4) containing 10% glycerol.

Endotoxin: < 1.0 EU per 1 microgram of protein (determined by LAL method)

Preparation: Liquid purified protein

Storage: Store undiluted at 2-8°C for one week or (in aliquots) at -20°C to -80°C for longer.

Avoid repeated freezing and thawing.

Stability: Shelf life: one year from despatch.

RefSeq: NP 001056

Locus ID: 7132 UniProt ID: <u>P19438</u>

Cytogenetics: 12p13.31

Synonyms: CD120a; FPF; p55; p55-R; p60; TBP1; TNF-R-I; TNF-R-55; TNFAR; TNFR1; TNFR55; TNFR60





Summary:

This gene encodes a member of the TNF receptor superfamily of proteins. The encoded receptor is found in membrane-bound and soluble forms that interact with membranebound and soluble forms, respectively, of its ligand, tumor necrosis factor alpha. Binding of membrane-bound tumor necrosis factor alpha to the membrane-bound receptor induces receptor trimerization and activation, which plays a role in cell survival, apoptosis, and inflammation. Proteolytic processing of the encoded receptor results in release of the soluble form of the receptor, which can interact with free tumor necrosis factor alpha to inhibit inflammation. Mutations in this gene underlie tumor necrosis factor receptor-associated periodic syndrome (TRAPS), characterized by fever, abdominal pain and other features. Mutations in this gene may also be associated with multiple sclerosis in human patients. [provided by RefSeq, Sep 2016]

Protein Families:


Druggable Genome, Secreted Protein, Transcription Factors, Transmembrane

Protein Pathways:

Adipocytokine signaling pathway, Alzheimer's disease, Amyotrophic lateral sclerosis (ALS),

Apoptosis, Cytokine-cytokine receptor interaction, MAPK signaling pathway

Product images:



15% SDS-PAGE (3ug)