

Product datasheet for BM4047B

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

CD31 (PECAM1) Mouse Monoclonal Antibody [Clone ID: MEM-05]

Product data:

Product Type: Primary Antibodies

Clone Name: MEM-05

Applications: FC

Recommended Dilution: Flow cytometry (1/500 as starting dilution).

Reactivity: Human
Host: Mouse
Isotype: IgG1

Clonality: Monoclonal

Immunogen: Leucocytes of patient suffering from LGL-type leukaemia

Specificity: The antibody reacts with CD31, a 130-140 kDa type I transmembrane glycoprotein expressed

on monocytes, platelets, granulocytes, endothelial cells and stem cells of the myeloid lineage.

Formulation: Phosphate buffered saline (PBS) with 15 mM sodium azide, approx. pH 7.4

Label: Biotin

State: Liquid purified Ig fraction

Label: Conjugated with Biotin-LC-NHS under optimum conditions. The reagent is free of

unconjugated biotin.

Concentration: lot specific

Conjugation: Biotin

Storage: Store the antibody undiluted at 2 - 8 °C. DO NOT FREEZE!

Stability: Shelf life: one year from despatch.

Gene Name: platelet and endothelial cell adhesion molecule 1

Database Link: Entrez Gene 5175 Human

P16284






Background:

CD31 (platelet endothelial cell adhesion molecule-1, PECAM-1) is an inhibitory coreceptor involved in rebulation of T cell and B cell signaling by a dual immunoreceptor tyrosine-based inhibitory motif (ITIM) that upon associated kinases-mediated phosphorylation provide docking sites for protein-tyrosine phosphatases. CD31 is expressed ubiquitously within the vascular compartment and is located mainly at junctions between adjacent cells. N-terminal Ig-like domain of CD31 is responsible for its homophilic binding, which plays an important role in cell-cell interactions. CD31 is a multifunctional molecule with diverse roles in modulation of integrin-mediated cell adhesion, transendothelial migration, angiogenesis, apoptosis, negative regulation of immunoreceptor signaling, autoimmunity, macrophage phagocytosis, IgE-mediated anaphylaxis and thrombosis. It is one of key regulatory molecules in vascular system.

Synonyms: PECAM-1, EndoCAM, GPIIA'

Product images:



Surface staining of human peripheral blood with anti-human CD31 (MEM-05) biotin.