

Product datasheet for BM5500P

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Desmin (DES) Mouse Monoclonal Antibody [Clone ID: D9]

Product data:

Product Type: Primary Antibodies

Clone Name: D9

Applications: IHC, WB

Recommended Dilution: Immunoblotting.

Immunohistochemistry on Frozen Sections.

Immunohistochemistry on Paraffin Embedded Sections.

Rrecommended Dilutions: 1/25-1/200 for immunohistochemistry with avidinbiotinylated horseradish peroxidase complex (ABC) as detection reagent) and 1/100–1/1000 for

immunoblotting.

Reactivity: Chicken, Human, Mouse, Porcine, Rabbit, Rat

Host: Mouse Isotype: IgG1

Clonality: Monoclonal

Immunogen: Desmin isolated from Human leiomyoma.

Specificity: D9 reacts exclusively with Desmin, which is expressed in smooth and striated muscle cells

and their tumors e.g. rhabdomyosarcoma and leiomyosarcoma.

Formulation: PBS

State: Purified

State: Liquid, purified IgG fraction Preservative: 0.09% Sodium Azide

Concentration: lot specific

Conjugation: Unconjugated

Storage: Store undiluted at 2-8°C for one month or (in aliquots) at -20°C for longer.

Avoid repeated freezing and thawing.

Stability: Shelf life: one year from despatch.

Gene Name: desmin

Database Link: Entrez Gene 1674 Human

P17661





Background:


Desmin (53 kDa) exhibits a high degree of tissue specificity, its expression being predominantly confined to all types of muscle cells (cardiac, skeletal and smooth muscle). Regulation of desmin expression is stage and tissue-specific, since it is induced during terminal development of, for example, skeletal muscle cell differentiation. In skeletal en cardiac muscle cells desmin is localized in the Z-disk region and at the intercalated disk. The expression pattern of desmin in smooth muscle is much more heterogenous.

Coexpression of vimentin and desmin has been observed in tumors derived from muscle tissue, i.e. rhabdomyosarcomas and leiomyosarcomas.


Furthermore, during myocard dysfunction dramatic changes in the distribution of desmin have been observed.

Synonyms: DES

Product images:



Immunohistochemistry on frozen sections of swine stomach showing staining of muscle tissues



Immunohistochemistry on frozen sections of swine colon showing staining of muscle tissues