

## **Product datasheet for CF190125**

## **BrdU Rat Monoclonal Antibody [Clone ID: OTI2H8]**

## **Product data:**

**Product Type:** Primary Antibodies

Clone Name: OTI2H8

Applications: IHC

Recommended Dilution: IHC 1:150

Reactivity: Human

Host: Rat

**Isotype:** IgG

Clonality: Monoclonal

Immunogen: Bromodeoxyuridine coupled to keyhole limpet hemocyanin (KLH).

Formulation: Lyophilized powder (original buffer 1X PBS, pH 7.3, 8% trehalose)

**Reconstitution Method:** For reconstitution, we recommend adding 100uL distilled water to a final antibody

concentration of about 1 mg/mL. To use this carrier-free antibody for conjugation experiment, we strongly recommend performing another round of desalting process. (OriGene recommends Zeba Spin Desalting Columns, 7KMWCO from Thermo Scientific)

**Purification:** Purified from mouse ascites fluids or tissue culture supernatant by affinity chromatography

(protein A/G)

Conjugation: Unconjugated

**Storage:** Store at -20°C as received.

**Stability:** Stable for 12 months from date of receipt.


**OriGene Technologies, Inc.** 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn


Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com



## **Product images:**




Immunohistochemical staining of paraffinembedded colon tissue from BrdU injected mouse using anti-BrdU rat monoclonal antibody ([TA190125]).



Immunohistochemical staining of paraffinembedded colon tissue from IDU injected mouse using anti-BrdU rat monoclonal antibody ([TA190125]).





Immunohistochemical staining of paraffinembedded colon tissue from CIDU injected mouse using anti-BrdU rat monoclonal antibody ([TA190125]).