

Product datasheet for CF501242

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com

OriGene Technologies, Inc.

EU: info-de@origene.com CN: techsupport@origene.cn

H6PD Mouse Monoclonal Antibody [Clone ID: OTI3H5]

Product data:

Product Type: Primary Antibodies

Clone Name: OTI3H5

Applications: FC, IF, WB

Recommended Dilution: WB 1:1000, IF 1:100, FLOW 1:100

Reactivity: Human
Host: Mouse
Isotype: IgG2a

Clonality: Monoclonal

Immunogen: Full length human recombinant protein of human H6PD (NP_004276) produced in HEK293T

cell.

Formulation: Lyophilized powder (original buffer 1X PBS, pH 7.3, 8% trehalose)

Reconstitution Method: For reconstitution, we recommend adding 100uL distilled water to a final antibody

concentration of about 1 mg/mL. To use this carrier-free antibody for conjugation experiment, we strongly recommend performing another round of desalting process. (OriGene recommends Zeba Spin Desalting Columns, 7KMWCO from Thermo Scientific)

Purification: Purified from mouse ascites fluids or tissue culture supernatant by affinity chromatography

(protein A/G)

Conjugation: Unconjugated

Storage: Store at -20°C as received.

Stability: Stable for 12 months from date of receipt.

Predicted Protein Size: 88.7 kDa

Gene Name: hexose-6-phosphate dehydrogenase/glucose 1-dehydrogenase

Database Link: NP 004276

Entrez Gene 9563 Human

<u>095479</u>






Background: There are 2 forms of glucose-6-phosphate dehydrogenase. G form is X-linked and H form,

encoded by this gene, is autosomally linked. This H form shows activity with other hexose-6-phosphates, especially galactose-6-phosphate, whereas the G form is specific for glucose-6-phosphate. Both forms are present in most tissues, but H form is not found in red cells.


Synonyms: CORTRD1; G6PDH; GDH

Protein Pathways: Metabolic pathways, Pentose phosphate pathway

Product images:




HEK293T cells were transfected with the pCMV6-ENTRY control (Left lane) or pCMV6-ENTRY H6PD ([RC209890], Right lane) cDNA for 48 hrs and lysed. Equivalent amounts of cell lysates (5 ug per lane) were separated by SDS-PAGE and immunoblotted with anti-H6PD. Positive lysates [LY401369] (100ug) and [LC401369] (20ug) can be purchased separately from OriGene.




Anti-H6PD mouse monoclonal antibody ([TA501242]) immunofluorescent staining of COS7 cells transiently transfected by pCMV6-ENTRY H6PD ([RC209890]).





Flow cytometric Analysis of Hela cells, using anti-H6PD antibody ([TA501242]), (Red), compared to a nonspecific negative control antibody (TA50011), (Blue).



Flow cytometric Analysis of Jurkat cells, using anti-H6PD antibody ([TA501242]), (Red), compared to a nonspecific negative control antibody (TA50011), (Blue).