

Product datasheet for CF502545

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

RTN4IP1 Mouse Monoclonal Antibody [Clone ID: OTI1E1]

Product data:

Product Type: Primary Antibodies

Clone Name: OTI1E1
Applications: FC, WB

Recommended Dilution: WB 1:500~2000, FLOW 1:100

Reactivity: Human, Mouse, Rat

Host: Mouse Isotype: IgG1

Clonality: Monoclonal

Immunogen: Full length human recombinant protein of human RTN4IP1 (NP_116119) produced in E.coli.

Formulation: Lyophilized powder (original buffer 1X PBS, pH 7.3, 8% trehalose)

Reconstitution Method: For reconstitution, we recommend adding 100uL distilled water to a final antibody

concentration of about 1 mg/mL. To use this carrier-free antibody for conjugation experiment, we strongly recommend performing another round of desalting process. (OriGene recommends Zeba Spin Desalting Columns, 7KMWCO from Thermo Scientific)

Purification: Purified from mouse ascites fluids or tissue culture supernatant by affinity chromatography

(protein A/G)

Conjugation: Unconjugated

Storage: Store at -20°C as received.

Stability: Stable for 12 months from date of receipt.

Predicted Protein Size: 38.9 kDa

Gene Name: reticulon 4 interacting protein 1

Database Link: NP 116119

Entrez Gene 170728 MouseEntrez Gene 309912 RatEntrez Gene 84816 Human

Q8WWV3

Background: This gene encodes a novel mitochondrial protein that interacts with reticulon 4, which is a

potent inhibitor of regeneration following spinal cord injury. The interaction of reticulon 4 with mitochondrial proteins may provide insight into the mechanisms for reticulon-induced inhibition of neurite growth. [provided by RefSeq]. COMPLETENESS: complete on the 3' end.







Synonyms: NIMP; OPA10

Protein Families: Druggable Genome


Product images:



HEK293T cells were transfected with the pCMV6-ENTRY control (Left lane) or pCMV6-ENTRY RTN4IP1 ([RC202957], Right lane) cDNA for 48 hrs and lysed. Equivalent amounts of cell lysates (5 ug per lane) were separated by SDS-PAGE and immunoblotted with anti-RTN4IP1. Positive lysates [LY409966] (100ug) and [LC409966] (20ug) can be purchased separately from OriGene.




Western blot analysis of extracts (35ug) from 9 different cell lines by using anti-RTN4IP1 monoclonal antibody.




HEK293T cells transfected with either [RC202957] overexpress plasmid (Red) or empty vector control plasmid (Blue) were immunostained by anti-RTN4IP1 antibody ([TA502545]), and then analyzed by flow cytometry.





Flow cytometric Analysis of Hela cells, using anti-RTN4IP1 antibody ([TA502545]), (Red), compared to a nonspecific negative control antibody (TA50011), (Blue).



Flow cytometric Analysis of Jurkat cells, using anti-RTN4IP1 antibody ([TA502545]), (Red), compared to a nonspecific negative control antibody (TA50011), (Blue).