

Product datasheet for CF502673

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

RNF156 (MGRN1) Mouse Monoclonal Antibody [Clone ID: OTI3A6]

Product data:

Product Type: Primary Antibodies

Clone Name: OTI3A6

Applications: FC, IF, WB

Recommended Dilution: WB 1:2000, IF 1:100, FLOW 1:100

Reactivity: Human, Mouse, Rat

Host: Mouse Isotype: IgG1

Clonality: Monoclonal

Immunogen: Full length human recombinant protein of human MGRN1 (NP_056061) produced in HEK293T

cell.

Formulation: Lyophilized powder (original buffer 1X PBS, pH 7.3, 8% trehalose)

Reconstitution Method: For reconstitution, we recommend adding 100uL distilled water to a final antibody

concentration of about 1 mg/mL. To use this carrier-free antibody for conjugation experiment, we strongly recommend performing another round of desalting process. (OriGene recommends Zeba Spin Desalting Columns, 7KMWCO from Thermo Scientific)

Purification: Purified from mouse ascites fluids or tissue culture supernatant by affinity chromatography

(protein A/G)

Conjugation: Unconjugated

Storage: Store at -20°C as received.

Stability: Stable for 12 months from date of receipt.

Predicted Protein Size: 63 kDa

Gene Name: mahogunin ring finger 1

Database Link: NP 056061

Entrez Gene 23295 Human

O60291

Background: Mahogunin (MGRN1) is a C3HC4 RING-containing protein with E3 ubiquitin ligase activity in

vitro. [supplied by OMIM]







Synonyms: RNF156

Protein Pathways: Ubiquitin mediated proteolysis


Product images:



HEK293T cells were transfected with the pCMV6-ENTRY control (Left lane) or pCMV6-ENTRY MGRN1 ([RC208284], Right lane) cDNA for 48 hrs and lysed. Equivalent amounts of cell lysates (5 ug per lane) were separated by SDS-PAGE and immunoblotted with anti-MGRN1. Positive lysates [LY414714] (100ug) and [LC414714] (20ug) can be purchased separately from OriGene.




Anti-MGRN1 mouse monoclonal antibody ([TA502673]) immunofluorescent staining of COS7 cells transiently transfected by pCMV6-ENTRY MGRN1 ([RC208284]).




HEK293T cells transfected with either [RC208284] overexpress plasmid (Red) or empty vector control plasmid (Blue) were immunostained by anti-MGRN1 antibody ([TA502673]), and then analyzed by flow cytometry.





Flow cytometric Analysis of Hela cells, using anti-MGRN1 antibody ([TA502673]), (Red), compared to a nonspecific negative control antibody (TA50011), (Blue).



Flow cytometric Analysis of Jurkat cells, using anti-MGRN1 antibody ([TA502673]), (Red), compared to a nonspecific negative control antibody (TA50011), (Blue).