

Product datasheet for CF502686

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

ACOT12 Mouse Monoclonal Antibody [Clone ID: OTI2F10]

Product data:

Product Type: Primary Antibodies

Clone Name: OTI2F10
Applications: FC, WB

Recommended Dilution: WB 1:2000, FLOW 1:100

Reactivity: Human
Host: Mouse
Isotype: IgG2a

Clonality: Monoclonal

Immunogen: Full length human recombinant protein of human ACOT12 (NP_570123) produced in

HEK293T cell.

Formulation: Lyophilized powder (original buffer 1X PBS, pH 7.3, 8% trehalose)

Reconstitution Method: For reconstitution, we recommend adding 100uL distilled water to a final antibody

concentration of about 1 mg/mL. To use this carrier-free antibody for conjugation experiment, we strongly recommend performing another round of desalting process. (OriGene recommends Zeba Spin Desalting Columns, 7KMWCO from Thermo Scientific)

Purification: Purified from mouse ascites fluids or tissue culture supernatant by affinity chromatography

(protein A/G)

Conjugation: Unconjugated

Storage: Store at -20°C as received.

Stability: Stable for 12 months from date of receipt.

Predicted Protein Size: 61.9 kDa

Gene Name: acyl-CoA thioesterase 12

Database Link: NP 570123

Entrez Gene 134526 Human

Q8WYK0


Synonyms: Cach; CACH-1; STARD15; THEAL

Protein Pathways: Pyruvate metabolism







Product images:



HEK293T cells transfected with either [RC210445] overexpress plasmid (Red) or empty vector control plasmid (Blue) were immunostained by anti-ACOT12 antibody ([TA502686]), and then analyzed by flow cytometry.




Flow cytometric Analysis of Hela cells, using anti-ACOT12 antibody ([TA502686]), (Red), compared to a nonspecific negative control antibody (TA50011), (Blue).



HEK293T cells were transfected with the pCMV6-ENTRY control (Left lane) or pCMV6-ENTRY ACOT12 ([RC210445], Right lane) cDNA for 48 hrs and lysed. Equivalent amounts of cell lysates (5 ug per lane) were separated by SDS-PAGE and immunoblotted with anti-ACOT12. Positive lysates [LY408930] (100ug) and [LC408930] (20ug) can be purchased separately from OriGene.





Flow cytometric Analysis of Jurkat cells, using anti-ACOT12 antibody ([TA502686]), (Red), compared to a nonspecific negative control antibody (TA50011), (Blue).