

## Product datasheet for **CF503073**

### RGS5 Mouse Monoclonal Antibody [Clone ID: OTI 3H6]

#### Product data:

Product Type:	Primary Antibodies
Clone Name:	OTI 3H6
Applications:	FC, IF, WB
Recommended Dilution:	WB 1:2000, IF 1:100, FLOW 1:100
Reactivity:	Human, Mouse, Rat
Host:	Mouse
Isotype:	IgG1
Clonality:	Monoclonal
Immunogen:	Human recombinant protein fragment corresponding to amino acids 1-181 of human RGS5 (NP_003608) produced in E.coli.
Formulation:	Lyophilized powder (original buffer 1X PBS, pH 7.3, 8% trehalose)
Reconstitution Method:	For reconstitution, we recommend adding 100uL distilled water to a final antibody concentration of about 1 mg/mL. To use this carrier-free antibody for conjugation experiment, we strongly recommend performing another round of desalting process. (OriGene recommends Zeba Spin Desalting Columns, 7KMWCO from Thermo Scientific)
Purification:	Purified from mouse ascites fluids or tissue culture supernatant by affinity chromatography (protein A/G)
Conjugation:	Unconjugated
Storage:	Store at -20°C as received.
Stability:	Stable for 12 months from date of receipt.
Predicted Protein Size:	20.8 kDa
Gene Name:	regulator of G protein signaling 5
Database Link:	<a href="#">NP_003608</a> <a href="#">Entrez Gene 19737 Mouse</a> <a href="#">Entrez Gene 54294 Rat</a> <a href="#">Entrez Gene 8490 Human</a> <a href="#">O15539</a>



[View online »](#)

**Background:**


This gene encodes a member of the regulators of G protein signaling (RGS) family. The RGS proteins are signal transduction molecules which are involved in the regulation of heterotrimeric G proteins by acting as GTPase activators. This gene is a hypoxia-inducible factor-1 dependent, hypoxia-induced gene which is involved in the induction of endothelial apoptosis. This gene is also one of three genes on chromosome 1q contributing to elevated blood pressure. Alternatively spliced transcript variants have been identified. [provided by RefSeq, Dec 2011]

**Synonyms:**


MST092; MST106; MST129; MSTP032; MSTP092; MSTP106; MSTP129

**Protein Families:**


Druggable Genome

**Product images:**

HEK293T cells were transfected with the pCMV6-ENTRY control (Left lane) or pCMV6-ENTRY RGS5 ([RC206857], Right lane) cDNA for 48 hrs and lysed. Equivalent amounts of cell lysates (5 ug per lane) were separated by SDS-PAGE and immunoblotted with anti-RGS5. Positive lysates [LY418548] (100ug) and [LC418548] (20ug) can be purchased separately from OriGene.



Anti-RGS5 mouse monoclonal antibody ([TA503073]) immunofluorescent staining of COS7 cells transiently transfected by pCMV6-ENTRY RGS5 ([RC206857]).



HEK293T cells transfected with either [RC206857] overexpress plasmid (Red) or empty vector control plasmid (Blue) were immunostained by anti-RGS5 antibody ([TA503073]), and then analyzed by flow cytometry.