

Product datasheet for CF504695

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Carboxypeptidase A2 (CPA2) Mouse Monoclonal Antibody [Clone ID: OTI7G2]

Product data:

Product Type: Primary Antibodies

Clone Name: OTI7G2

Applications: WB

Recommended Dilution: WB 1:2000

Reactivity: Human, Mouse, Rat

Host: Mouse Isotype: IgG2b

Clonality: Monoclonal

Immunogen: Full length human recombinant protein of human CPA2(NP_001860) produced in HEK293T

cell

Formulation: Lyophilized powder (original buffer 1X PBS, pH 7.3, 8% trehalose)

Reconstitution Method: For reconstitution, we recommend adding 100uL distilled water to a final antibody

concentration of about 1 mg/mL. To use this carrier-free antibody for conjugation experiment, we strongly recommend performing another round of desalting process. (OriGene recommends Zeba Spin Desalting Columns, 7KMWCO from Thermo Scientific)

Purification: Purified from mouse ascites fluids or tissue culture supernatant by affinity chromatography

(protein A/G)

Conjugation: Unconjugated

Storage: Store at -20°C as received.

Stability: Stable for 12 months from date of receipt.

Predicted Protein Size: 44.9 kDa

Gene Name: carboxypeptidase A2

Database Link: NP 001860

Entrez Gene 232680 MouseEntrez Gene 296959 RatEntrez Gene 1358 Human

P48052





Carboxypeptidase A2 (CPA2) Mouse Monoclonal Antibody [Clone ID: OTI7G2] - CF504695

Background: Three different forms of human pancreatic procarboxypeptidase A have been isolated. The

encoded protein represents the A2 form, which is a monomeric protein with different

biochemical properties from the A1 and A3 forms. The A2 form of pancreatic


procarboxypeptidase acts on aromatic C-terminal residues and is a secreted protein.

[provided by RefSeq, Dec 2008]

Synonyms: carboxypeptidase A2 (pancreatic)

Protein Families: Druggable Genome, Protease, Secreted Protein

Product images:



HEK293T cells were transfected with the pCMV6-ENTRY control (Left lane) or pCMV6-ENTRY CPA2 ([RC202719], Right lane) cDNA for 48 hrs and lysed. Equivalent amounts of cell lysates (5 ug per lane) were separated by SDS-PAGE and immunoblotted with anti-CPA2. Positive lysates [LY419697] (100ug) and [LC419697] (20ug) can be purchased separately from OriGene.