

Product datasheet for CF505394

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

NKIRAS1 Mouse Monoclonal Antibody [Clone ID: OTI6C11]

Product data:

Product Type: Primary Antibodies

Clone Name: OTI6C11
Applications: IF, IHC, WB

Recommended Dilution: WB 1:2000, IHC 1:150, IF 1:100

Reactivity: Human, Mouse, Rat

Host: Mouse Isotype: IgG2b

Clonality: Monoclonal

Immunogen: Full length human recombinant protein of human NKIRAS1(NP_065078) produced in

HEK293T cell.

Formulation: Lyophilized powder (original buffer 1X PBS, pH 7.3, 8% trehalose)

Reconstitution Method: For reconstitution, we recommend adding 100uL distilled water to a final antibody

concentration of about 1 mg/mL. To use this carrier-free antibody for conjugation experiment, we strongly recommend performing another round of desalting process. (OriGene recommends Zeba Spin Desalting Columns, 7KMWCO from Thermo Scientific)

Purification: Purified from mouse ascites fluids or tissue culture supernatant by affinity chromatography

(protein A/G)

Conjugation: Unconjugated

Storage: Store at -20°C as received.

Stability: Stable for 12 months from date of receipt.

Predicted Protein Size: 21.5 kDa

Gene Name: NFKB inhibitor interacting Ras like 1

Database Link: NP 065078

Entrez Gene 69721 MouseEntrez Gene 305751 RatEntrez Gene 28512 Human


Q9NYS0

Synonyms: kappaB-Ras1; KBRAS1







Product images:



HEK293T cells were transfected with the pCMV6-ENTRY control (Cat# [PS100001], Left lane) or pCMV6-ENTRY NKIRAS1 (Cat# [RC204248], Right lane) cDNA for 48 hrs and lysed. Equivalent amounts of cell lysates (5 ug per lane) were separated by SDS-PAGE and immunoblotted with anti-NKIRAS1(Cat# [TA505394]). Positive lysates [LY412541] (100ug) and [LC412541] (20ug) can be purchased separately from OriGene.




Immunohistochemical staining of paraffinembedded Human colon tissue within the normal limits using anti-NKIRAS1 mouse monoclonal antibody. (Heat-induced epitope retrieval by 10mM citric buffer, pH6.0, 100°C for 10min, [TA505394])




Immunohistochemical staining of paraffinembedded Adenocarcinoma of Human ovary tissue using anti-NKIRAS1 mouse monoclonal antibody. (Heat-induced epitope retrieval by 10mM citric buffer, pH6.0, 100°C for 10min, [TA505394])





Immunohistochemical staining of paraffinembedded Human bladder tissue within the normal limits using anti-NKIRAS1 mouse monoclonal antibody. (Heat-induced epitope retrieval by 10mM citric buffer, pH6.0, 100°C for 10min, [TA505394])



Anti-NKIRAS1 mouse monoclonal antibody ([TA505394]) immunofluorescent staining of COS7 cells transiently transfected by pCMV6-ENTRY NKIRAS1 ([RC204248]).