

Product datasheet for CF505429

OriGene Technologies, Inc.9620 Medical Center Drive, Ste 200

9620 Medical Center Drive, Ste 20 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

KIF25 Mouse Monoclonal Antibody [Clone ID: OTI2G9]

Product data:

Product Type: Primary Antibodies

Clone Name: OTI2G9

Applications: WB

Recommended Dilution: WB 1:2000

Reactivity: Human Host: Mouse

Isotype: IgG1
Clonality: Monoclonal

Immunogen: Full length human recombinant protein of human KIF25(NP_005346) produced in HEK293T

cell.

Formulation: Lyophilized powder (original buffer 1X PBS, pH 7.3, 8% trehalose)

Reconstitution Method: For reconstitution, we recommend adding 100uL distilled water to a final antibody

concentration of about 1 mg/mL. To use this carrier-free antibody for conjugation experiment, we strongly recommend performing another round of desalting process. (OriGene recommends Zeba Spin Desalting Columns, 7KMWCO from Thermo Scientific)

Purification: Purified from mouse ascites fluids or tissue culture supernatant by affinity chromatography

(protein A/G)

Conjugation: Unconjugated

Storage: Store at -20°C as received.

Stability: Stable for 12 months from date of receipt.

Predicted Protein Size: 35.1 kDa

Gene Name: kinesin family member 25

Database Link: NP 005346

Entrez Gene 3834 Human

Q9UIL4





Background: The protein encoded by this gene is a member of the kinesin-like protein family. Protein


family members are microtubule-dependent molecular motors that transport organelles within cells and move chromosomes during cell division. However, the particular function of this gene product has not yet been determined. Two alternatively spliced transcript variants which encode products have been described. Other splice variants have been found that lack

exon 2 and the initiation codon for translation. [provided by RefSeq, Jul 2008]

Synonyms: KNSL3

Protein Families: Druggable Genome

Product images:



HEK293T cells were transfected with the pCMV6-ENTRY control (Left lane) or pCMV6-ENTRY KIF25 ([RC217730], Right lane) cDNA for 48 hrs and lysed. Equivalent amounts of cell lysates (5 ug per lane) were separated by SDS-PAGE and immunoblotted with anti-KIF25. Positive lysates [LY417362] (100ug) and [LC417362] (20ug) can be purchased separately from OriGene.