

Product datasheet for CF800036

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

DPPA4 Mouse Monoclonal Antibody [Clone ID: OTI2F6]

Product data:

Product Type: Primary Antibodies

Clone Name: OTI2F6
Applications: FC, WB

Recommended Dilution: WB 1:2000, FLOW 1:100

Reactivity: Human
Host: Mouse
Isotype: IgG1

Clonality: Monoclonal

Immunogen: Human recombinant protein fragment corresponding to amino acids 9-254 of human DPPA4

(NP 060659) produced in E.coli.

Formulation: Lyophilized powder (original buffer 1X PBS, pH 7.3, 8% trehalose)

Reconstitution Method: For reconstitution, we recommend adding 100uL distilled water to a final antibody

concentration of about 1 mg/mL. To use this carrier-free antibody for conjugation experiment, we strongly recommend performing another round of desalting process. (OriGene recommends Zeba Spin Desalting Columns, 7KMWCO from Thermo Scientific)

Purification: Purified from mouse ascites fluids or tissue culture supernatant by affinity chromatography

(protein A/G)

Conjugation: Unconjugated

Storage: Store at -20°C as received.

Stability: Stable for 12 months from date of receipt.

Predicted Protein Size: 33.4 kDa

Gene Name: developmental pluripotency associated 4

Database Link: NP 060659

Entrez Gene 55211 Human


Q7L190

Synonyms: 2410091M23Rik






Product images:



HEK293T cells were transfected with the pCMV6-ENTRY control (Left lane) or pCMV6-ENTRY DPPA4 ([RC205999], Right lane) cDNA for 48 hrs and lysed. Equivalent amounts of cell lysates (5 ug per lane) were separated by SDS-PAGE and immunoblotted with anti-DPPA4. Positive lysates [LY413234] (100ug) and [LC413234] (20ug) can be purchased separately from OriGene.



HEK293T cells transfected with either [RC205999] overexpress plasmid (Red) or empty vector control plasmid (Blue) were immunostained by anti-DPPA4 antibody ([TA800036]), and then analyzed by flow cytometry.